RESTORING WETLANDS OF THE NEPONSET RIVER WATERSHED

A Watershed Wetlands Restoration Plan



Wetlands Restoration & Banking Program

Massachusetts Executive Office of Environmental Affairs

January 2000



Argeo Paul Cellucci, Governor Jane Swift, Lieutenant Governor Bob Durand, Secretary

RESTORING WETLANDS OF THE NEPONSET RIVER WATERSHED

A Watershed Wetlands Restoration Plan

Prepared for the Citizens of the Neponset River Watershed

by the

Wetlands Restoration & Banking Program

Massachusetts Executive Office of Environmental Affairs
One Winter Street – 5th Floor
Boston, Massachusetts 02108
Phone: (617) 626-1177

FAX: (617) 292-5850

Christy Foote-Smith, Director Chuck Katuska, Wetland Scientist

February 2000

Dedication

In Memorium

Elizabeth S. Houghton 1909 – 1999

Our vision for the restoration of wetlands along the Neponset River has been inspired by our friend and colleague, Elizabeth S. Houghton. We offer this plan in thanksgiving for her life and work.

Elizabeth S. Houghton devoted herself and her resources to the protection of the Commonwealth's wetland environment. She was a founding member of the Neponset Conservation Association; an organization she guided and supported as it became the Neponset River Watershed Association. Through her tenacious urgings, much of the Neponset watershed is now designated an Area of Critical Environmental Concern.

Elizabeth's vision of environmental protection did not stop at the water's edge. In the 1970s, she helped stop the Southwest Expressway from bisecting the Fowl Meadow. She truly understood the connection between thoughtless highway and public works projects and the devastation of Massachusetts' precious open spaces. For thirty years she fought to keep citizens involved in transportation planning, dedicating the rest of her life to protection of the meadow and the Neponset River from encroachments of roads and development.

Winner of the Massachusetts Audubon Society's "A" Award and holder of an honorary doctorate degree from Curry College, as she felt her life drawing to a close Elizabeth wondered who would continue to view the river, and especially the Fowl Meadow, from her perspective.

Please remember Elizabeth Houghton as you pass by Routes 128 and 95 in Canton, looking north over her beloved Fowl Meadow and the Neponset River. She can no longer show you her photographs of the watershed under flood conditions and remind you that the aquifer under the meadow is 150 feet deep, holds 95 billion gallons of pure water, and provides flood storage to protect abutting towns. Elizabeth would applaud our efforts to restore Neponset wetlands, but she would remind us that there are presently nine separate proposed transportation and public works projects that threaten its well being.

Which of us will protect it now?

Ellen Anderson Longtime friend and colleague from the Neponset River Watershed Association November 1999

Acknowledgements...

A comprehensive, community-based approach to restoring wetlands in the Neponset River watershed involves many partners. WRBP wishes to thank both those who have already participated and those who will continue this important effort into the future, including:

Conservation Commissions of the Neponset

Boston, Canton, Dedham, Dover, Foxborough, Medfield, Milton, Norwood, Quincy, Sharon, Stoughton, Walpole, and Westwood

Other Local Government Agencies

City of Quincy Department of Public Works, Dover Water Department, Boston Parks and Recreation Department

Environmental and Civic Organizations

Neponset River Watershed Association, Massachusetts Audubon Society, Massachusetts Association of Conservation Commissions, East Walpole Civic Association, Friends of the Estuary, Boston Natural Areas Fund, Canton River Watch Dogs

State Agency Programs

Massachusetts Watershed Initiative, Neponset River Subwatershed Team (of the Boston Harbor Watershed Team), Areas of Critical Environmental Concern Program (ACEC), Metropolitan District Commission, Riverways Program, Natural Heritage Program, Massachusetts Coastal Zone Management, Massachusetts Bays Program, Metropolitan Area Planning Council, Norfolk County Mosquito Control District, Suffolk County Mosquito Control District

Federal Coastal America Partnership

US Army Corps of Engineers, Environmental Protection Agency, Natural Resources Conservation Service, US Fish & Wildlife Service, National Marine Fisheries Service, Federal Highway Administration

THANK YOU!!

Table of Contents

Dedication	i
Acknowledgements	iii
Table of Contents	v
Introduction	1
A Call for Community–Based Action	3
Why Restore Wetlands in the Neponset River Watershed?	5
What is Wetland Restoration?	7
Examples of Wetland Restoration Projects in the Neponset	8
How This Plan Was Developed	- 11
Neponset River Wetlands Restoration Initiative	13
Action Agenda for Restoring Neponset Wetlands	15
Restore 130 Acres of Neponset River Watershed Wetlands	
by 2010	17
Promote Wetland Restoration at Priority Sites	19
Promote Wetland Restoration within Ecologically Significant	
Areas	23
Provide Project Support Through GROWetlands	
(Groups Restoring Our Wetlands)	25
Promote Use of Wetland Restoration Sites for Education	
and Research	29
Bibliography ————————————————————————————————————	31
Appendices	
Appendix A: Key to Tables	35
Appendix B: Potential Wetland Restoration Sites	43
Map 1 following page	e 44
Template for Table 1	45
Table 1 following page	e 46
Appendix C: Priority Wetland Restoration Sites	47
Map 2 following page	e 48
Template for Table 2	49
Table 2 following page	e 50
Appendix D: Potential Wetland Restoration Sites in Neponset River	
Watershed Cities and Towns	51
Town by Town Maps 3-15 following page	e 52
Appendix E: GROWetlands Wetlands Restoration Project Nomination	
Form	53
List of Figures	
Figure 1: Wetland/Wildlife Complexes following page	20
Figure 2: Flood Damage Areas following page	20

INTRODUCTION

A Call for Community-Based Action

Under the Massachusetts Watershed Initiative, those who live, work, and play in the Neponset River watershed are collaborating with state and federal agencies on a comprehensive approach to watershed management – protecting remaining open spaces, cleaning up polluted waters, and restoring wetlands. Along with other actions, such as controlling stormwater runoff and addressing failing septic systems, wetland restoration is an effective tool for improving watershed health. Wetland restoration can help address problems such as flooding, water pollution, low stream flows, and loss of fisheries and wildlife habitat. The *Neponset River Watershed Basin Wide Action Plan*, adopted in March 1997, includes wetland restoration as a key goal. As one component of this watershed plan, Neponset advocates are implementing a watershed-wide wetland restoration effort in cooperation with the Massachusetts Executive Office of Environmental Affairs (EOEA), Wetlands Restoration & Banking Program (WRBP).

The publication of Restoring Wetlands of the Neponset River Watershed: A Watershed Wetlands Restoration Plan (the Plan), marks the end of the planning phase of this initiative. While a number of restoration projects have already begun, with the adoption of this Plan, we now officially begin the implementation phase of a community-based wetland restoration effort within the Neponset. The purpose of this Plan is to identify the most significant opportunities for restoring the wetlands of the Neponset River watershed and to adopt action steps toward implementation. The Plan provides the following key elements to facilitate long-term, sustained action:

- A goal of 130 acres of wetlands restored throughout the watershed by 2010.
- ♦ A long-term commitment to securing state and federal funding, corporate contributions, and other support for local restoration projects, coordinated through the Wetlands Restoration & Banking Program's GROWetlands Initiative.
- ◆ A list and map of 171 potential wetland restoration sites in the watershed (Appendix B).
- ◆ A list and map of 65 projects that can further the seven restoration goals adopted for the Neponset (Appendix C).
- An emphasis on restoring wetlands within ecologically significant areas.
- Town-by-town maps showing the locations of restoration sites (Appendix D).

• Ongoing collaboration with the Neponset River Watershed Team.

The Action Agenda presented in this *Plan* is intended to engage many partners and ensure continued public support for a long-term restoration effort. Just as the wetlands of the Neponset have been destroyed and degraded site-by-site, acre-by-acre, reversing the damage will take many individual actions over an extended period. While we may never be able to measure precisely the results of our collective efforts, it will be gratifying to know that every restoration project completed successfully makes a contribution to the overall health of the Neponset River, its watershed, its plant and wildlife communities, and the people it sustains.

Why Restore Wetlands in the Neponset River Watershed?

Try to imagine the wetlands of the Neponset River watershed as they appeared four hundred years ago - vast uninterrupted expanses of salt marsh at the estuary, fringing wetlands along the banks of the mainstem and tributaries, a freshwater marsh at Fowl Meadow as far as the eye could see, and expansive white cedar and red maple swamps in the headwaters. Fish moved freely upstream to spawn, unimpeded by dams. Shorebirds found ample shallow pools and natural creeks in the salt marshes for feeding. The wetlands filtered runoff from adjacent lands, helping to keep the water in the river clean and pure. Wetland plant life was diverse and vigorous, providing lush habitat for many species of mammals, amphibians, reptiles, fish, birds, and insects.

This abundance of natural resources provided critical support for the colonization of the New World. But, as the watershed became more settled, wetlands were drained to provide rich soils for farming, dams were built to harness power and provide water supplies, and marshes were crossed by roads and rail beds. The landscape continued to change as human activity increased. Wetlands were filled to provide land for housing and for commercial and industrial uses. Wetlands became common dump sites. Polluted runoff, and industrial waste were piped directly into the river. Spoils from river dredging were spread over the salt marshes. It is hard to say how much of the wetland resources in the Neponset River watershed have been degraded by pollution or destroyed altogether. Statewide, the loss is at least 28% and nationally the story is even worse - 50% of the country's wetlands are gone. (Dahl, 1990)

Despite centuries of filling, dredging, altering, and removing of wetlands, the Neponset River watershed still contains over 8,000 acres of these aquatic resources. A diverse range of wetland types is represented. Although some individual wetlands may provide the full range of wetland functions, most Neponset wetlands are altered by or, at the very least, threatened by, past and present land use activities. Forested and scrub/shrub wetlands dominate the watershed, with 5,000 and 2,000 acres respectively, yet these wetland types have been heavily impacted by development and associated changes in hydrology and water quality. Bogs are much scarcer throughout the watershed but, where they do still exist, such as at Ponkapoag Pond and in the Mill/Mine Brook area, these sensitive wetlands are also at increased risk from land use impacts. Significant Atlantic white cedar (Chamaecyparis thyoides) wetlands in Walpole and Sharon, and smaller cedar stands elsewhere in the watershed, are failing to regenerate after decades of cutting, ditching, and flooding. These cedar wetlands are significant

natural communities and, in addition to their landscape level functions, provide habitat for several rare or threatened wetland wildlife species. Formerly, there were much more extensive salt marshes in the estuary, but since the onset of European settlement in the Neponset, these highly productive resources have been filled for development, covered with dredge spoils, and ditched for salt hay production or mosquito control. Many of the Neponset's remaining salt marshes have been invaded by common reed (*Phragmites australis*), a tall, dense reed that reduces wildlife habitat values and dramatically increases the risk of fire.

State law no longer allows most activities that harm wetlands, but the Neponset River watershed shows many effects from past abuses. Due to damming of the river, shad, river herring, and smelt can no longer reach historic upriver spawning grounds. Water quality problems can be found throughout the watershed. Some developed areas are prone to costly flooding. Sources for drinking water supply are neither as abundant nor as dependably clean. Birds and other wildlife that rely on wetlands are far fewer, both in numbers and variety.

Although the exact acreage of degraded wetlands is difficult to quantify, the identification of 171 potential wetland restoration sites in this *Plan* suggests widespread wetland loss and degradation throughout the watershed. Even in a degraded condition, wetlands in the Neponset River watershed continue to provide important functions (e.g., water purification, flood storage, fish and wildlife habitat) at both the site and landscape levels.

While it is not possible to turn back the clock, now there is an initiative underway to identify wetlands of the Neponset that are still restorable and bring them back. A number of restoration projects implemented throughout the watershed, over time, can help improve the watershed as a whole. WRBP is using a partnership approach to restoring wetlands in the Neponset River watershed. WRBP's strategy is to mobilize and work with communities, advocacy groups, and interested citizens to implement a watershed-wide restoration effort. A coordinated effort by landowners and other advocates to implement restoration projects can both bring back some of the watershed's lost and degraded wetlands and improve the health of the watershed overall. Under this initiative, wetland restoration activities will be locally driven but will be supported by both public and private resources.

What is "Wetland Restoration"?

The wetlands of the Neponset River watershed have been impacted in many ways. They have been filled for construction, ditched for mosquito control and to create agricultural lands, drained to create land suitable for development, and flooded due to obstruction of water flow by roadways and other structures. They have been eroded by channelized streamflow and choked with sediment from road runoff. In the past few decades, several species of invasive plants have displaced native wetland plant communities reducing their capacity to provide biologically diverse wildlife habitat.

WRBP defines wetland restoration as "the act, process, or result of returning a wetland or a former wetland to a close approximation of its condition prior to disturbance." The goal of wetland restoration is to bring back wetland functions that have been lost through wetland destruction and degradation, including water quality improvement, flood storage and flood protection, and fish, shellfish, and wildlife habitat.

WRBP has defined two general types of wetland restoration activities. Type 1 wetland restoration involves reestablishing a wetland on a former wetland site. Type 2 wetland restoration involves returning a damaged, degraded, or otherwise functionally impaired wetland to its prior (pre-disturbance) condition, or one similar to it. Type 1 one restorations result in an increase of wetland acreage. Type 2 restorations bring about a change in the kind or condition or an existing wetland, typically with no gain in wetland acreage. A single wetland restoration project may involve both types of restoration.


Restoring the wetlands of the Neponset will require many strategies as no two sites are identical. Restoration will involve such activities as removing or resizing culverts, plugging ditches, replacing hydric soils, removing fill, stabilizing stream banks, and removing pollution and sediment sources. Because site conditions and needs vary, each restoration site will require a unique project design.

Wetland restoration is the act, process, or result of returning a wetland or a former wetland to a close approximation of its condition prior to disturbance.

On the following pages are three examples of restoration projects that are planned or underway in the Neponset River watershed.


EXAMPLES OF WETLAND RESTORATION PROJECTS IN THE NEPONSET RIVER WATERSHED

Sharon White Cedar Swamp: Located to the west of Lake Massapoag, the largest natural lake in the Neponset watershed, the Sharon White Cedar Swamp is a priority wetland restoration site. In general, cedar swamps are a rare habitat type in Massachusetts. This particular site also provides habitat for rare animal species. Portions of this 250-acre cedar swamp are dying due to ditching and drawdown of groundwater levels. WRBP has accepted a nomination from the Sharon Conservation Commission to include the project under WRBP's GROWetlands Initiative (Groups Restoring Our Wetlands). WRBP has conducted a preliminary site assessment and is assembling a project team, including an internationally-known white




cedar specialist from Yale University's School of Forestry. A preliminary investigation has been completed and WRBP is seeking \$50,000 to fully evaluate the site and develop a draft wetland restoration plan. Activities necessary to restore viable white cedar stands and improve groundwater recharge will include hydrologic modifications within the wetland, improved stormwater management in the abutting residential neighborhoods, control of invasive vegetation and, most probably, tree planting. Including costs for additional Site Evaluation, Project Development, Design, and Construction, restoration costs may be as high as \$500,000. The project is eligible for federal and private funding programs, but matching funds will be needed.

Fowl Meadow: The Fowl Meadow wetland system is the largest and most valuable complex of aquatic and wetland habitats in the interior of the Neponset River watershed. In 1992, the Environmental Affairs Office designated 8,340 acres in the municipalities of Boston, Canton, Dedham, Milton, Norwood, Randolph, Sharon, and Westwood as the Fowl Meadow and Ponkapoag Bog Area of Critical Environmental Concern (ACEC). Portions of the Fowl Meadow overlie two EPA-designated Sole Source Aquifers and several of the encompassing towns draw at least a portion of their municipal water supply from the extensive aquifer deposits. The Neponset River watershed wetlands restoration plan identifies 15 individual wetlands restoration projects in the ACEC, affecting over 1500



acres of wetlands. Wetland impacts in the Fowl Meadow complex include filling for airports, railroads, and roadways; surface drainage modifications, groundwater withdrawals, and widespread changes in vegetation. Ranging from the smallest vegetation management projects to highly complex initiatives aimed at protecting groundwater supplies, wetland restoration projects in the Fowl Meadow truly have the potential to improve water quality, important flood storage, and fisheries and wildlife habitats at the landscape level. In order to develop the type of inter-community cooperation necessary to prioritize and achieve these goals, WRBP is working with the Neponset River Watershed Association to develop and support a Fowl Meadow Working Group. This group, made up of representatives from each affected town and appropriate state and federal agencies, will work to evaluate a suite of projects and implement those that will be most effective. Existing partners in this important effort include the Metropolitan District Commission (partial landowner), Neponset River Watershed Association (non-profit), MassHighway, Massachusetts Area of Critical Environmental Concern Program, Massachusetts Division of Fisheries & Wildlife, Massachusetts Natural Heritage & Endangered Species Program, Massachusetts Wetlands Restoration & Banking Program, and municipal Conservation Commissions (Canton, Dedham, Milton, Norwood, Sharon, Westwood). In order to catalyze the Fowl Meadow Working Group, WRBP is seeking \$50,000 to further evaluate and prioritize the sites. It is expected that several low-cost restoration projects will be identified for immediate implementation at a cost of approximately \$75,000. Federal, corporate, and foundation grants will be sought.



Gulliver's Creek: The Gulliver's Creek salt marshes are inextricably linked with historic Boston from the time of earliest settlement, when colonists mingled with Native Americans to catch fish at the waterfall now dammed at Lower Mills, to the earliest days of independence, when Quincy granite for the Bunker Hill Monument was freighted to Gulliver's Creek barges by way of the nation's first railroad. The marshes themselves were harvested for salt hay for centuries and were likely first impacted by ditching to increase production of this formerly critical commodity. As the horseless carriage reduced the need for salt hay, marsh economic values declined and impacts mounted - grid ditching for makework mosquito control during the Great Depression, filling for adjacent development

and dredge spoil disposal, and the ever-increasing load of stormwater pollutants from surrounding uplands. Natural fisheries habitat resources have been lost and the marsh is now dominated by monocultures of common reed (Phragmites australis), an aggressive weedy plant with less habitat value than native salt marsh vegetation. These impacts are not irreversible. Depending on the goals and extent of a salt marsh restoration plan, degraded habitat and water quality values can be improved. Preliminary investigations are underway and WRBP is seeking \$65,000 to fully evaluate the site and develop a draft wetland restoration plan. The most effective strategy would likely involve a long-term commitment to the site, beginning with a thorough investigation of surface conditions, vegetation distribution, and influent water quality and moving through a planned program of improvements in tidal flushing, stormwater management, and species diversity. Including costs for additional Site Evaluation, Project Development, Design, and Construction. restoration costs may be as high as \$200,000. Any program of improvements would be beneficial, of course, but the historic and ecological values of the Gulliver's Creek Marshes merit a signal effort to restore this important and highly visible coastal wetland. WRBP currently is working with a private company that may be interested in funding the project through the Corporate Wetlands Restoration Partnership.

How This Plan Was Developed

The Wetlands Restoration & Banking Program developed the "watershed wetlands restoration planning" approach with technical support from the U.S. Army Corps of Engineers, and piloted it in the Neponset. ¹ The Neponset was chosen so that wetland restoration activities could be integrated with the Massachusetts Watershed Initiative's pilot program in the Neponset.

Restoring Wetlands of the Neponset River Watershed is the culmination of a three-phase planning process. During Phase I watershed stakeholders were identified and notified of the Wetland Restoration & Banking Program's intent to initiate a watershed wetlands restoration plan. In Phase II, the locations of potential wetland restoration sites were identified through aerial photographic interpretation and field surveys. Existing information about the watershed's water quality, flood storage capacity, fish habitat, and wildlife habitat was evaluated to determine how wetlands restoration might benefit the watershed. This information and analysis was presented in a Preliminary Report (PR). Public meetings were held to receive input on the PR and to adopt restoration goals for the watershed. In Phase III, a draft and final Plan were prepared. The draft Plan identified priority sites that can address the restoration goals adopted by the watershed community and proposed an Action Agenda for their implementation. Following public comment on the draft Plan, this final Plan has been prepared and distributed.

For those seeking more detailed information about wetland restoration site identification, watershed analysis, and criteria for selecting priority restoration sites, the following documents were prepared as part of this *Plan* and are available at public libraries in each community covered by the *Plan*, or from WRBP:

- ♦ Neponset River Watershed Wetland Restoration Analysis, U.S. Army Corps of Engineers, New England District, July 1997. This is a technical report that includes an initial list of potential wetland restoration sites and detailed analysis of watershed-level wetland functions.
- Neponset River Watershed Wetlands Restoration Plan: Preliminary Report, Wetlands Restoration & Banking Program, September 1997. This report summarizes the Army Corps' technical report and suggests wetland restoration goals for the watershed for public comment.

For information on WRBP's watershed wetlands restoration planning process, please refer to: 1) "Site Identification and Evaluation Procedures". WRBP, July 1996 and 2) "Watershed Wetlands Restoration Planning Guidance", WRBP, July 1, 1996.

◆ Draft: Neponset River Watershed Wetlands Restoration Plan, Wetlands Restoration & Banking Program, December 1998. In this document, potential sites are prioritized based on the adopted goals for wetland restoration and an Action Agenda is proposed for public comment.

This final *Plan* summarizes information previously presented and presents a final Action Agenda for the Neponset River watershed wetlands restoration initiative.

NEPONSET RIVER WETLAND RESTORATION INITIATIVE

IMPLEMENTING THE
WATERSHED WETLANDS
RESTORATION PLAN

ACTION AGENDA

for Restoring Neponset Wetlands

- Restore 130 acres of Neponset River Watershed Wetlands by 2010.
- Promote wetland restoration at priority wetland restoration sites.
- Promote wetland restoration within ecologically significant areas.
- Provide technical support, assistance obtaining funding, and other help to project sponsors through the GROWetlands Initiative.
- Promote the use of wetland restoration sites for education and research.

The Action Agenda was developed based on input throughout the planning process from watershed stakeholders. It represents the core activities of the Neponset River wetland restoration initiative. WRBP will play a lead role in collaboration with the Watershed Team working with stakeholders to implement the Action Agenda. Each action item is described in detail.

Action Agenda

OVER ALL GOAL: Restore 130 Acres of Neponset River Watershed Wetlands by 2010

In May 1999, the Commonwealth announced its goal of restoring 3,000 acres of Massachusetts wetlands by 2010. WRBP has adopted a goal of restoring 130 acres of wetlands over the next ten years as the Neponset's share of this statewide goal.

HOW?

The wetlands of the Neponset will be restored site-by-site, wetland-by-wetland. This Plan provides sufficient information for selecting restoration projects. With 171 sites representing almost 6,000 acres of potentially restorable wetlands identified, ample opportunities are available.

WHO?

Meeting the goal will require a collaborative effort involving many groups and individuals. WRBP and its many public and private partners are available to assist with project selection and implementation. WRBP challenges Neponset River watershed stakeholders — conservation commissions, other local agencies, landowners, environmental and other civic groups, businesses, state and federal agencies, and others — to join forces to make this goal a reality.

Action Agenda

Promote Wetland Restoration at Priority Sites HOW?

To restore 3,000 acres of wetlands in ten years <u>and</u> achieve watershed improvements, it has been important to set clear priorities. Priority wetland restoration sites within the Neponset River watershed have been identified based on their ability, if restored, to contribute to the restoration goals adopted by watershed stakeholders.

Wetland Restoration Goals for the Neponset River Watershed

In order to ensure broad consensus in the Neponset, watershed advocates have agreed on a set of wetland restoration goals. The goals were adopted in collaboration with stream teams, conservation commissions, community leaders, and others. The goals described below reflect the vision of the watershed community for improving its wetlands. They have provided the yardstick against which potential projects have been evaluated in order select the most important sites that can contribute to improving the health of the watershed.

Goal: Improve Water Quality

Wetland restoration projects can help improve water quality at key locations within the watershed. The *Preliminary Report* lists a number of "hot spots" identified by the Department of Environmental Protection and the Neponset River Watershed Association through water quality testing. Wetland restoration in key locations can help address these problem areas. This *Plan* identifies 68 sites that address this goal.

Goal: Restore Salt Marshes

Salt marshes are among the most ecologically productive habitats in the world. The remaining salt marshes within the Neponset River estuary have been

severely degraded. This *Plan* identifies 16 sites representing up to 900 acres of potentially restorable salt marshes.

Goal: Improve Wildlife Habitat

There are many opportunities for improving wildlife habitat, especially within the Mine/Mill Brook Complex, the Cedar Swamp Complex, the Neponset River Estuary Complex, and the Neponset River Mainstem Complex (See Figure 1). This *Plan* identifies 76 sites that address this goal.

Goal: Improve Flood Storage

There are significant opportunities for improving flood storage, especially within or immediately upstream of identified flood damage areas (See Figure 2). This *Plan* identified 84 sites that address this goal.

Goal: Address Invasive Species


Of particular concern are salt marshes that have been invaded by common reed (*Phragmites australis*). Additionally, purple loosestrife (*Lithrum salicaria*) invasion is pervasive throughout the watershed and needs to be addressed. While at least 39 sites with these invasive species were identified, this does not represent a comprehensive survey.


Goal: Improve Cold Water Fisheries Habitat

Few self-sustaining cold water fisheries remain in the Neponset River watershed. Of particular concern are the existing cold water fisheries habitat in Traphole Brook and the Tubwreck/Mine/Mill Brook subwatershed. The *Plan* identifies 5 sites that address this goal.

Goal: Improve Groundwater Recharge and Stream Baseflow

Wetland restoration can help address the impacts of reduced water table levels on stream flow and can, in some circumstances, help maintain groundwater supplies. This *Plan* identifies 69 sites that address this goal.





KEY TO FIGURE 2

Neponset River Watershed Significant Wetland Areas

Name	Location	Area in Acres
A. Fowl Meadow B. Cedar Swamp	Neponset Main Stem Walpole	3,100 1,030
C. York & Pequit Brooks	Canton/Stoughton	690
D. Massapoag Lake	Sharon	370
E. Purgatory Brook	Norwood	370
F. Mine & Mill Brooks	Walpole/Medfield	230
G. Neponset Reservoir	Foxboro	225
H. Beaver Meadow Brook	Canton	210
I. Ponkapoag Pond	Canton	200
J. Reservoir Pond	Canton	160
K. Beaver Brook	Sharon	150
L. Pine Tree Brook	Milton	95

Neponset River Watershed Flood Prone Areas

- 1. The Neponset River area, downstream of Mother Brook, through the urbanized sections of Dedham, Mattapan, and Milton.
- 2. Areas adjacent to Mother Brook.
- 3. Readville Manor section of Dedham.
- 4. Industrial area adjacent to Canton Street and I-95 in Norwood.
- 5. Islington section of Westwood adjacent to Purgatory Brook.
- 6. Pequit Brook at Route 138.
- 7. Downstream portions of Massapoag Brook in Canton.
- 8. Traphole Brook through East Walpole.
- 9. Industrial area between Pleasant Street in Norwood and Route 1A Walpole.
- 10. Downstream of Route 1A along Hawes Brook.

Source: US Army Corps of Engineers

Identification of Priority Wetland Restoration Sites

Application of WRBP's site evaluation methodology initially identified 159 potential wetland restoration sites in the Neponset River watershed. These sites were described in the Neponset River Watershed Wetlands Restoration Plan: Preliminary Report. Based on public input on the Preliminary Report and the adoption of watershed-level wetland restoration goals, WRBP further evaluated these 159 sites, as well as 12 additional sites identified by participants in the planning process. A total of 171 potential restoration sites are included in this Plan. These sites are listed and described on Table 1 and located on Map 1 in Appendix B.

Out of the total of 171 sites, the *Draft Plan* identified 65 priority sites that can make the most significant contribution to improving the Neponset River watershed based on the 7 restoration goals. These priority wetland restoration projects are listed and described in Table 2 and located on Map 2 in Appendix C. They are presented on Table 2 in the following categories and prioritized within each category by size because larger wetlands are likely to provide more and more varied function:

- High Functional Value sites: These are sites that have the potential to improve the watershed overall for water quality, flood storage, and fish and wildlife habitat. Please note that a number of these sites also are significant for improvement of groundwater recharge and stream baseflow.
- ◆ Additional Significant Groundwater Recharge and Stream Baseflow Sites: These are sites that are not already listed as priority sites for other reasons and that are significant for groundwater recharge and stream baseflow because they are 65 acres or greater in size and/or because they overlay an approved Zone 2 recharge area or Interim Wellhead Protection Area. Nine such sites are included in the "high functional value sites" category but, in order to eliminate duplication, they are not listed again in this category. They can be identified as those for which "yes" has been entered in the column entitled "Hydrologic Support Site?"
- ◆ Salt marsh Restoration Sites: All salt marsh restoration sites are considered priority sites.
- ♦ Cold Water Fisheries Sites: These are restoration sites that may benefit cold water fisheries.

While the priority sites represent potential wetland restoration projects that, theoretically, provide the highest improvement for the watershed overall, every site listed in this report has potential to improve wetland functions at a minimum at the project site.

WHO?

WRBP will encourage adoption of priority wetland restoration sites by project sponsors and will support these projects through its GROWetlands (Groups Restoring Our Wetlands) Initiative. (See page 25 for more about GROWetlands.)

Action Agenda

Promote Wetland Restoration within Ecologically Significant Areas

HOW?

To support EOEA's initiative for biodiversity through biological conservation and community preservation, has identified wetland restoration projects of watershed-level ecological significance, including:

- ◆ Salt marshes of the Neponset Estuary Area of Critical Environmental Concern (site #s: B1, B2, B3, B6, ML1, ML2, ML3, ML4, ML5, ML6, ML21, Q1, Q2, Q6, Q4, Q9)
- ♦ White cedar swamp complexes in Sharon and Walpole (site #s: C2, D3, SH7, M8, WL6, WL9, WL53, WL54, WL55, WL56)
- ♦ Cold water fishery of Traphole Brook and potential cold water fisheries of Plantingfield/Purgatory and Mill/Mine/Tubwreck Brooks (site #s: N10, N13, WL16, WL17, WL18)
- ♦ Wetlands in the Fowl Meadow/Ponkapoag Bog Area of Critical Environmental Concern (site #s: Fowl Meadow – C1, C2, C18, C19, C20, C21, C22, DD3, ML12, N1, SH1, SH2, SH3 Ponkapoag Bog – C2, C3, C23)
- Riparian wetlands of the Lower Neponset river banks (site #s: B5, ML22)

Please refer to Table 1 in Appendix B for detailed information on each of these sites. These sites can be located on individual town maps in Appendix D

WHO?

WRBP will continue to promote projects from the list of 65 priority restoration sites, and will provide support under the GROWetlands Initiative (see page 25) for other wetland restoration projects proposed in the Neponset River watershed. In addition, WRBP will give special attention to groups of projects within these ecologically significant geographic areas within the Neponset River watershed. Specifically, WRBP plans to:

- ◆ Form a Fowl Meadow Working Group to evaluate restoration options for the largest wetland complex in the watershed.
- Recommend key projects to be adopted by the Neponset River Subwatershed Team for support and funding. WRBP has recommended to the team a study of the Sharon White Cedar Swamp and a pilot purple loosestrife management project in Fowl Meadow.
- ◆ Continue to promote salt marsh restoration projects, as opportunities arise. Projects already underway are restoration of 2 acres of salt marsh at Pope John Paul II Park, restoration of 20 acres of salt marsh at Metropolitan District Commission's (MDC) Neponset Marshes Reservation, and a study of restoration options at Billings Creek in Quincy.
- Work with the Massachusetts Division of Fisheries and Wildlife, citizen groups, and others, to promote wetland restoration that supports cold water fisheries.
- ♦ Work with the Massachusetts Division of Fisheries and Wildlife, the Neponset River Subwatershed Team, the US Army Corps of Engineers and others, to explore options for fish passage at Lower Neponset dams, and related wetland restoration opportunities along the Lower Neponset river banks.

Action Agenda

Provide Technical Support, Assistance Obtaining Funding, and Other Help to Project Sponsors Through the GROWetlands* Initiative

HOW?

The purpose of this *Plan* is to bring about improvement of the watershed through wetland restoration at a number of sites. At each site, a project sponsor will take responsibility for the restoration work from inception to completion. While anyone may sponsor a wetland restoration project, sponsors are usually local and may include conservation commissions, land trusts, schools, businesses, other public agencies, and private landowners. Project sponsors need not be the landowner as long as landowner approval has been obtained. Project sponsors may be eligible for funding and technical assistance through the GROWetlands (Groups Restoring Our Wetlands) Initiative coordinated by WRBP.

WHO?

WRBP provides ongoing technical assistance and support to GROWetlands projects. Funding may come from federal agencies through the Partnership To Restore Massachusetts Wetlands, from WRBP's own GROWetlands Grant Program or other state funding sources, or from the Corporate Wetlands Restoration Partnership managed by WRBP.

^{*}Groups Restoring Our Wetlands

In 1994, the Commonwealth signed a cooperative agreement with federal agencies under the Coastal America Partnership, including US Fish & Wildlife Service, Environmental Protection Agency, National Marine Fisheries Service, US Army Corps of Engineers, Federal Highway Administration, and Natural Resources Conservation Service. Under the "Resolution to Restore Massachusetts Wetlands", state and federal partners have pledged to work together to restore inland and coastal wetlands in Massachusetts in cooperation with the state's Wetlands Restoration & Banking Program.

WRBP established the GROWetlands Initiative to ensure effective coordination between locally initiated wetland restoration projects and federal wetland restoration funding programs. Projects accepted under GROWetlands become Coastal America projects and are given priority consideration for federal funding and other assistance – all coordinated through WRBP. To date, nearly 50 projects have been nominated for GROWetlands. Over 40 projects have received full or partial funding through the partnership, including several in the Neponset River watershed.

WRBP administers its own GROWetlands Grant Program that funds wetland restoration projects on a competitive basis. In 1999, this program awarded \$100,000 in grant funds. In addition, the Executive Office of Environmental affairs has established a Corporate Wetland Restoration Partnership (CWRP) managed by WRBP. Corporate partners may donate funds to an EOEA trust fund to provide general support the Commonwealth's wetland restoration efforts or may donate funds, goods, or services towards the restoration of a particular site. CWRP represents an additional potential funding source for GROWetlands projects.

In 1999, Massachusetts launched the Corporate Wetlands Restoration Partnership (CWRP), the first program of its kind in the nation, to encourage voluntary corporate participation in proactive restoration of degraded wetlands. Corporate partners contribute funds and in-kind services through partnership agreements with EOEA. Many donor

"WRBP has published A Citizen's Guide Restoring Massachusetts Wetlands: How to Participate in the GROWetlands Initiative to assist wetland restoration project sponsors. Copies may be obtained for no charge by calling the WRBP INFO line at (617) 626-1177."

options are available and agreements can be tailored to specific goals and needs of both large and small companies. Monetary donations are deposited in the Natural Resources Damages Trust Fund. A CWRP Advisory Board of corporate, government, and nonprofit members recommends projects to the EOEA Secretary for funding. Administrative costs are held to 10% so that 90% of CWRP funds go directly to wetland restoration.

WRBP plans to actively seek nominations for GROWetlands for the priority projects and for other projects in ecologically significant areas of the Neponset identified in this *Plan*.

While securing project funding is crucial, GROWetlands projects receive other benefits. WRBP provides guidance for every aspect of project development and implementation from project design, to permitting, to pre- and post-construction monitoring. WRBP has published *A Citizens' Guide to Restoring Massachusetts Wetlands: How to Participate in the GROWetlands Initiative* to assist wetland restoration project sponsors. Copies may be obtained at no charge by calling WRBP at (617) 626-1177. All nominations of potential wetland restoration sites for GROWetlands are welcome. Please use the GROWetlands Project Nomination Form in Appendix E.

Action Agenda

Promote the Use of Wetland Restoration Sites for Education and Research

HOW?

Restoration projects provide excellent opportunities for educating the public about the importance of wetlands and what can be done to restore them. Many sites can provide hands-on experience, such as planting and monitoring, for a wide range of age groups from elementary school through adults. Restoration sites also provide excellent opportunities for gathering data to address a range of scientific and programmatic questions such as: Once construction is complete, how long before a restored wetland provides critical functions? What restoration techniques work best? Which wetlands are easiest to restore. Which are the hardest? How well can we control exotic and invasive species at restoration sites?

WHO?

WRBP is working to establish a statewide network of restored wetlands as education and research sites. With such a network in place, academic institutions may choose from a pre-identified set of restoration sites with established sampling stations and recommended research projects, or develop their own. Grade school curricula can incorporate a set of site-specific, pre-packaged activities. The sites can be used as outdoor classrooms for municipal conservation commissioners. The general public can visit the sites and use interpretive materials to learn about wetlands and how they are being restored.

WRBP will work with project sponsors, academic institutions, and others to identify restoration sites within the Neponset that are appropriate for education and research, and will guide the development of the sites for these purposes.

Bibliography

- Belding, D.L.; 1921. A Report Upon the Alewife Fisheries of Massachusetts. Marine Fisheries Service No. 1. MA Div. Marine Fisheries. 135 pp.
- Chase, B. C.; 1996. <u>Preliminary Report on the Neponset River</u>. Massachusetts Bay Smelt Spawning Habitat Monitoring Program. MA Div. Marine Fisheries. 29 pp.
- Chesmore, A.P., S.A. Testaverde, and F.P. Richards; 1971. <u>A Study of the Marine Resources of Dorchester Bay</u>. MA Div. Marine Fisheries. Monograph Series No. 10. 44 pp
- Cowardin, L.M., V. Carter, F.C. Golet, E.T. LaRoe, 1979. <u>Classification of Wetlands and Deepwater Habitats in the United States</u>. FWS/OBS-79-31. U.S. Fish & Wildlife Service, Washington, DC.
- Cronon, W.; 1983. <u>Changes in the Land: Indians, Colonists, and the Ecology of New England</u>. McGraw-Hill, Ryerson Ltd., Toronto. 241 pp.
- Dahl, T.E., 1990. Wetland Losses in the United States, 1780 to 1980. U.S. Dept. of the Interior, Fish & Wildlife Service., Washington, D.C.
- Marble, A.D. 1992. <u>A Guide to Wetland Functional Design</u>. Lewis Publishers, Inc., Chelsea, MI. 222 pp.
- Massachusetts Department of Environmental Management; 1989. Neponset River Basin:

 Inventory and Analysis of Current and Projected Water Use. Div. Water
 Resources. 114 pp., 3 maps.
- Massachusetts Department of Environmental Management; 1991. Neponset River Basin Plan. 67 pp.
- Massachusetts Department of Environmental Management, 1996. Neponset River

 Estuary Area of Critical Environmental Concern Resource Management Plan.

 ACEC Program.
- Massachusetts Department of Environmental Protection; 1995. The Neponset River

 Watershed: 1994 Resource Assessment Plan. Office of Watershed Management.

 88 pp., 6 appendices.

- Massachusetts State Board of Health, 1876. <u>A Special Report on the Pollution of Rivers.</u> 388 pp., 7 maps.
- Massachusetts State Board of Health, 1897. Report of the State Board of Health upon the Sanitary Condition of the Neponset Meadows in the Towns of Canton, Sharon, Norwood, Dedham, Milton, and Hyde Park. 33 pp., 3 maps.
- Massachusetts Wetlands Restoration & Banking Program. 1996. <u>Watershed Wetlands</u>
 <u>Restoration Planning Guidance</u>. 17 pp.
- Massachusetts Wetlands Restoration & Banking Program. 1997. Neponset River

 Watershed Wetlands Restoration Plan: Preliminary Report. 21 pp., 7 appendices.
- Motzkin, G., 1991. <u>Atlantic White Cedar Wetlands of Massachusetts</u>. Massachusetts Agricultural Experiment Station Research Bulletin 731. 53 pp.
- Neponset River Watershed Association, 1995. <u>The Explorer's Guide to the Neponset River Watershed</u>. 56 pp., 11 maps.
- Neponset River Watershed Association, 1998. <u>Citizen Water Monitoring Network: 1997</u> <u>Final Report.</u> 33 pp., 1 appendix, 1 map.
- Neponset River Watershed Association and Massachusetts Executive Office of Environmental Affairs, March 1997. Neponset River Watershed Basin Wide Action Plan. 104 pp.7 appendices, 7 maps.
- Reback, K.E. and P. Brady, 1996. <u>A Survey of the Neponset River to Determine Its Potential for Anadromous Fish Development.</u> MA Div. Marine Fisheries. Sportfisheries Program. 6 pp., 1 map.
- Reback, K.E. and J.S. DiCarlo, 1970. <u>Completion Report: Anadromous Fish Project.</u> MA Div. Marine Fisheries. 113 pp.
- Tiner, R.W., Jr. 1984. Wetlands of the United States: Current Status and Recent Trends. U.S. Fish and Wildlife Service, National Wetlands Inventory, Washington, D.C. 59 pp.
- US Army Corps of Engineers, 1979. Neponset River Basin Floodplain Management Study; Reconnaissance Report. Department of The Army, Corps of Engineers, New England Division. Waltham, MA.

- US Army Corps of Engineers, 1995. <u>Massachusetts Wetlands Restoration Study: Site Identification and Evaluation Report</u>. Department of The Army, Corps of Engineers, New England Division. Waltham, MA. 45 pp., 8 appendices.
- US Army Corps of Engineers, 1997. Neponset River Watershed Wetlands Restoration
 Analysis. Department of The Army, Corps of Engineers, New England District.
 Waltham, MA. 31 pp., 4 appendices.

Appendix A.

Key to Tables

- ♦ How to read the tables page 37
- Explanation of terms page 39

How To Read The Tables

The tables in this *Plan* that describe the potential wetland restoration sites contain a wealth of information. Each is too large to display on a single 8.5" x 11" sheet and, therefore, is presented on multiple pages. Following is a template to show how the pages of each table are numbered so that they may be read both across and down. This template shows the maximum number of sheets that may be presented and the number/letter system that is used. A schematic of the sheets will be presented before each table to guide the reader. In addition, the tables include terms that may be unfamiliar to the reader. These are defined below.

Template For Tables

Sheet Ia	Sheet Ib	Sheet Ic
Sheet Iia	Sheet lib	Sheet Iic
Sheet IIIa	Sheet IIIb	Sheet IIIc
Sheet Iva	Sheet Ivb	Sheet Ivc
Sheet Va	Sheet Vb	Sheet Vc
Sheet Via	Sheet Vib	Sheet Vic

Explanation Of Terms

The information collected for each potential wetland restoration site identified in this *Draft Plan* and displayed in one or more of the tables includes some or all of the following. These terms are presented in the order in which they appear on Table 11. Not all tables include all terms, but the order in which they appear is consistent with the order presented below.

Site #: A unique, coded identification number for each site location, as originally identified and published in the Neponset River Watershed Wetlands Restoration Plan: Preliminary Report.

Existing Wetland Type: A technical classification of the existing wetland system based on the US Fish & Wildlife Service's widely utilized Classification of Wetlands and Deepwater Habitats of the United States (Cowardin, et al.; 1979). Wetlands identified in this report include specific classes from both freshwater (P-palustrine, or streamside) and saltwater (E-estuarine) systems. Specific wetland classes included in the site information tables are PFO (freshwater wooded swamps), PSS (freshwater shrub swamps), PEM (freshwater marshes), PF04 (coniferous freshwater wooded swamps), POW (freshwater ponds, lakes, or other open water areas), and E2EM (coastal salt marshes).

Predicted Restored Type: A similar technical classification of the post-restoration wetland based on the same classification system.

Impact Characterization: The condition or activity, observable on aerial photographs or on the ground, which has resulted in the wetland being identified as a potential restoration site.

Restoration Type: Type 1 (restoration of non-wetland areas to wetland) or Type 2 (restoration of lost wetland function to an existing but degraded wetland).

Impact Size (Acres): The approximate size of the lost or degraded wetland area to be restored.

Landscape Classification: A technical classification of the geologic setting of the potential wetland restoration site, based on a classification system developed for this study (see Neponset River Watershed Wetlands Restoration Plan: Preliminary Report, Appendix G).

Surrounding Landscape: General land use characteristics of the area surrounding or adjacent to the potential wetland restoration site.

Restore Flood Storage: Improve the capacity of the wetland restoration site to detain or store, rainfall-runoff volumes so as to incrementally reduce flood stages (maximum water surface elevation), increase floodwater storage volumes, and/or desynchronize flood peaks at or downgradient of the restoration site.

Restore Water Quality: Improve the capacity of the wetland restoration site to remove sediment or other pollutants, remove or transform excess nutrients, reduce summer water temperatures, and/or increase dissolved oxygen concentrations in the inflow or outflow water column.

Restore Fish & Wildlife Habitat: Improve the capacity of the wetland restoration site to provide important structural wildlife habitat features for individual species, improve overall habitat quality for a more diverse assemblage of wildlife species, and/or provide or increase the utility of travel or migratory corridors between other significant wildlife habitats within the watershed.

Upgradient of Flood Damage Area: A location upstream of any developed area having a recorded history of significant flooding, as evidenced by risk to human life, structural damage to real property, interruption or utility or transportation services, and/or loss of commercial or agricultural production.

Located in 100-Year Floodplain: A location within any area defined and mapped by the Federal Emergency Management Agency (FEMA) as being subject to a 1% or greater chance of flooding within any year.

Constricted Outlet: The presence of or potential for an outlet from a wetland restoration site which restricts, or can be designed to restrict, the discharge of water from the site.

Flat Site: A potential wetland restoration site which has, or could be designed to have, low gradient surface topography adequate to create depositional water velocity conditions (Marble, 1992).

Support Vegetation Type: A potential wetland restoration site which has, or could be designed to have, dense vegetation adequate to reduce water flow velocities and/or provide significant surface area for microbial activity.

In Position to Improve Water Quality: A location downstream of or within a stream segment documented by monitoring to be in violation of the Massachusetts Surface Water Quality Standards (314 CMR 4.00 et seq.).

Will There be Surface Water Impacts?: An estimate of the likelihood that any future wetland restoration design will include modifications to the existing surface water drainage system.

Soils Suitable for Phosphate Removal?: Site primarily contains alluvial, alfisols, ferric, clay or other fine-textured soils, or these soils can be provided.

Soils Suitable for Nitrate Removal?: Soils are primarily organic or organic soils can be provided.

Permanently Saturated?: Existing or designed water regime results in year-round soil saturation to the surface or within the root zone (1 foot).

Seasonal or Permanent Flooding?: Existing or designed water regime results in year-round seasonal or permanent flooding above the soil surface.

Low Gradient Site?: A potential wetland restoration site which has, or could be designed to have, low gradient surface topography adequate to create depositional water velocity conditions or sheet flow.

Channel Flow?: A determination of the presence of existing channel flow within a potential wetland restoration site.

Support Dense Emergent Vegetation?: Dense emergent or woody vegetation is present or can be planted.

Habitat Quality?: A determination that restoration activities at a particular site will support a goal of improving overall physical, chemical, and/or biological habitat quality, as measured by important structural habitat features.

Habitat Diversity?: A determination that restoration activities at a particular site will support a goal of improving wetland class diversity within the watershed.

Connectivity to Other Habitats: A determination that restoration activities at a particular site will support a goal of providing or improving the utility of travel or migratory corridors between 2 or more high habitat value wetlands, especially wetlands within protected conservation areas.

Type of Ownership: Private or public. If public, then the ownership entity is identified.

Cost of Restoration: A preliminary estimate of the project cost for wetland restoration activities based on very general criteria. Cost estimates provided in 3

categories; "low" less than \$10,000, "moderate" between \$10,000 and \$10,000, and "high" greater than \$100,000. Estimated costs include planning, design, permitting, and implementation.

Fix Type: Actions necessary to restore lost or degraded wetland sites; biological, chemical, hydrological, management, or substrate modifications.

Difficulty in Restoration of Wetland: An estimate of the difficulty associated with the successful restoration of a particular wetland class at the potential wetland restoration site. Estimates are provided in 3 categories; "Less difficult" – marsh and wet meadow, "More difficult" – shrub and deciduous forested swamps, and "Most difficult" – bogs, fens, and Atlantic white cedar swamps.

Surrounding Level of Disturbance: Qualitative description of the level of disturbance surrounding the potential wetland restoration site.

Invasive Plant Species: Presence of invasive plant species, such as common reed (*Phragmites australis*) or purple loosestrife (*Lythrum salicaria*).

Difficulty in Restoration of Functions: An estimate of the difficulty associated with the successful restoration of particular wetland functions at the potential wetland restoration site. Estimates are provided in 3 categories; "Less difficult" – flood storage, sediment retention, waterfowl production, "More difficult" – wildlife, fish, food chain support, other water quality functions, and "Most difficult" – groundwater functions.

Sensitive Habitats Present: Whether or not the site is identified by the MA Natural Heritage & Endangered Species Program as rare plant or animal habitat or the site of an uncommon natural plant community.

Proximity to Landfills: Adjacent to or downgradient of a mapped landfill or an unmapped landfill identifiable from aerial photographs.


Appendix B

Potential Wetland Restoration Sites

- ♦ Map 1 following page 44
- **♦** Template for Table 1 page 45
- ♦ Table 1 following page 46

Map 1

Potential Wetland Restoration Sites





Potential Wetland Restoration Sites Watershed Boundary



NOTE: For site identification numbers, see individual Town maps. (Maps 3-15)

Template For Table 1: Potential Wetland Restoration Sites

Sheet Ia	Sheet Ib	Sheet Ic
Sheet IIa	Sheet IIb	Sheet IIc.
Sheet IIIa	Sheet IIIb	Sheet IIIc
Sheet IVa	Sheet IVb	Sheet IVc
Sheet Va	Sheet Vb	Sheet Vc
Sheet VIa	Sheet VIb	Sheet VIc

Site#	Existing .	Predicted	Impact Characterizations	Restoration	Size (ac.)	Landscape	Surrounding	Restore Flood	Restore	Restore	Uporadient	Located in	Constricted	Channel Absent	Flat Site 5	Support
- 10 miles	Wetland	Wetland		Type		Classificatio	n Landscape	Storage ?	Water	Fish &	of Flood	100-Yr.	Outlet ?	or Modifiable ?		Vegetation
and the second second	Туре	Type	a tara tara ta						Quality ?	Wildlife Habitat ?	Damage Area ?	Floodplain?				Type
BOSTON									11.794.98545,000	navitat r	Area (
В1	E2EM	E2EM	fill - park?	1	~125	ERII	ow/hghwy	no	'yes	yes	no	т			T	
							J. J	110	,,,,	yes	110					
										İ						
B 2	PEM	E2EM	tidal restriction	. 2	~5	LOffi	com/hghwy	no	*yes	yes	no	 			ļ	
В3	E2EM/PEM	E2EM	diked/filled/mosq. ditching	1,2	~125	ERIf	os/res	no	yes	yes	no				<u> </u>	
84	PFO	PFO	small mowed area	2		Th:						ļ			<u> </u>	
B5	Upland/PFO		filled & rip-rapped (See	1,2	~2 ~15	Tbi	res/com/wl ind. res	no No	no No	no Yes	no Yes	Yes	No	No	No .	Yes
			ML22)						.,,	1	100	100	110	140	"	163
B6	E2EM	E2EM	Phragmites	2	1		park	No	No	Yes	No	Yes	No	No	Yes	Yes
CANTON	 	L												<u> </u>	l	
C 1	PEM/SS/FO	PEM/SS/F	sewer eas., ditch, mowed	2	~250	LTffl	rr/wl/res/for	yes	yes	yes	yes	yes	yes	yes	yes	yes
		0	(see ML 12)			2	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, 00	700	,,,,	yes	, , , ,	yes	yes	yes	yes
C 2	BOG/PFO4	BOG/PFO4	dead PFO4	2	~250	LMbt	golf/res/for	'no	yes	yes	yes	no	yes	yes	yes	yes
C 3	PFO	PFO	golf fairways bisect wetland	1	~65	LMbt	inst/golf/for/res	no	yes	yes	yes	no	no	no	yes	yes
C 4	PFO/EM	PFO	mowed meadow & ditched	2	~5	LMbt	wl/road/res	yes	yes	no	yes	no	yes	no	yes	yes
C 5	PEM/SS	PSS/EM	filled (violation)	1	~15	LMbt	res/wl/ow	yes	yes	no	yes	yes	yes	yes	yes	yes
C 6	PSS/EM	PSS/EM	diked & channeled portions	2	~65	LMbt	golf/res/wl	yes	yes	yes	yes	yes	yes	yes	yes	yes
C 7	PEM/SS	PEM	grid ditching	2	~15	I_Mbo	res/cem	yes	no	yes	yes	yes	yes	yes	yes	no
C 8	PEM	PEM PEM	gravel pit, residential ditching & tiny mowed area	creation 2	~15 ~65	LHbo LMbt	res/wl res/for/wl	no no	<u>'yes</u>	yes	yes	no	yes	yes	yes	no
C 10	PEM	PFO	mowed, ditched	2	~15	L.Hbt	wl/ag/for/res	yes	no *no	yes no	yes yes	no yes	yes yes	yes yes	yes yes	no yes
	-						1				,	,	,,,,		,00	70
C 11 C 12		PFO.	gravel pits gravel pit	creation creation	~15 ~15	LMbt LMbt	wl	yes	*no	no	yes	yes	yes	yes	yes	yes
C 14	PSS	PFO	sedimentation	2	~2	Tfi	wl	yes yes	*no	no no	yes yes	no no	yes yes	yes yes	yes yes	yes yes
C 15	PSS/FO	PFO	linear ditching (see S 9)	2	~15	I.Mbo	disposal/for sand/gravel/co	yes	no	no	yes	yes	yes	yes		
C 16	PEM	PFO	sedimentation	2	-2	Tfi	m/res/for					·			yes	yes
C 17	PFO/SS			2			waste disposal/for	yes	*no	no	yes	no	yes	yes	yes	yes
			linear ditching, mowed area, sed?		~65	LMbt	res/for/ind	yes	*no	no	yes	no	yes	yes	yes	yes
C 18	PFO/SS/EM	PFO/SS/E M	grid ditching, fill/old airpt, sewer eas.	1.2	~250	LOffi	hghwy/for/res	yes	yes	yes	yes	yes	yes	yes(partial)	yes	yes
C 19	PEM/SS	PFO	grid ditched	2	~15	LOffI	res/wl	no	yes	no ·	yes	yes	no	yes	yes	no
C 20	PEM	PEM	grid ditched	2	~65	LOffi	for/wl	no	yes	yes	yes	yes	no	yes	yes	, ho
C 21 C 22	PFO/SS PFO	PFO PFO	berm/dike cleared understory	2 2	~65 ~65	LOffl LHbt	res/w!	*no	yes	no	yes	yes	no	yes	yes	yes
<i>9 46</i>	110	,,,,	George understory	۷	-00	LHOU	golf	yes	yes	'nö	yes	yes	yes	no	yes	yes
C23	UPL	PFO/SS	fill for baseball field	1	~15	LMbt	rec/wl	yes	*yes	no	yes	no	yes	no	yes	yes

Site #	improve water	Will There be Surface Water Impacts?	Soils Suitable for Phosphate Removal ?	Soils Suitable for Nitrate Removal 7	Permanent Saturated	? Permanent	Gradient	Channel Flow	Support Dense Emergent	Habitat Quality ?	Diversity ?	to Other	y Type of Ownership	Restoration	Fix Type	Difficulty in Restoration
	Quantyr ,	impacts (келючая /	Removal ?		Flooding ?	Site ?		Vegetation ?			Habitats ?			2567	Wetland
SOSTON								* 1.00								
B 1	yes	yes	no	yes(lp/under	yes	yes	yes	no	yes	yes	yes	no	MDC	L:_L		T 1. 1000
				Ue)	,	,			,,,,	yes	yes	110	WIDC	high	subs	less diff.
B 2	yes	yes	no	yes(ip/under	yes	yes	Voc.	no	100				1,1500		<u> </u>	
B 3	yes	yes	no	yes	yes	yes	yes yes	no	yes	yes	yes	no	MDC & priv.	high high	hyd, subs hyd,subs,bio	less diff
84	no							ļ				****			-	
B5	No	No	Yes	No	No	Yes	No	No	No	yes Yes	yes Yes	Yes	Pub /Priv	low High	mgt subs	less diff
B6	Yes	No	Yes	No	No*	No*	Yes	No	Yes	Yes	No	No	MDC	Low	chm., mgt	modiff
ANTON		1			L		<u> </u>	<u> </u>	<u> </u>							1.
C 1	yes	yes	yes(Sa, Sb)	yes(Sw)	yes	yes(Sa)	yes	no	yes	yes	*yes	no	MDC & priv	high	T bud	mrdiff,
									,,,,	,,,,,	,03	710	IMOC & pill	riigri	hyd	ITHOIN.
C 2	yes .	yes	no	yes	yes	no	yes	yes	no	yes	yes	no	MDC	low	mgt	modiff.
C 3	yes	yes	no	yes	yes	no	yes	no	yes	yes	no	yes	MDC & town	high	subs	mrdiff.
C 4	yes	yes	yes(Sb)	no	yes	no	no	no	yes	yes	no	no	private	low	mgt	mrdiff.
C 5	yes	yes	no	yes	yes	no	yes	no	yes	yes	no.	no	private	high	subs	mrdiff.
C 6	yes	yes	no	yes	yes	no	yes	no	yes	yes	no	yes	priv. & deed	high	hyd	mrdiff.
·				,,,,	,		,55	110	,,,,	yes	110	yes	priv. & deed	nign	nya	mrain.
C 7	no									yes	yes	no	town	low	hyd	less diff.
C 8	yes	yes			-					yes	yes	no	private	high	subs	less diff,
C 9	no									yes	yes	no	priv. & town	mod	hyd	less diff.
C 10	yes	yes	yes(Sb)	no	yes	yes	no	по	yes	yes	no	no	nprf/town/pri	low	hyd, mgt	mrdiff.
C 11	yes	yes								yes	no	no	private	high	subs	mrdiff.
C 12	yes	yes								yes	no	no	private	high	subs	mrdiff.
C 14	yes	yes	no	yes(Fm)	yes	no	yes	no	yes	yes	no	nο	private	mod	subs	mrdiff.
C 15	no									yes	no	no	private	mod	hyd	mrdiff.
C 16	yes	yes	no	yes(Fm)	yes	no	yes	no	yes	yes	no	no	private	mod	subs	mrdiff
C 17	yes	yes .	yes(Sb)	yes(Sw)	yes	yes	yes	no	yes	yes	no	no	town & priv	mod	hyd, mgt	mrdiff.
C 18	yes	yes	yes	yes(Fp)	yes(Fp)	yes	yes	no	yes	yes	yes	no	MDC	mod	subs,hyd,bio	mrdiff.
C 19	yes	yes	yes(Sa)	yes(Fm)	yes	yes	yes	no	yes	yes	no	no	private	low	hud	es - J.ff
C 20	yes	yes	yes	no	no	yes	yes	no	yes	yes	yes	no	private	mod	hyd hyd	mrdiff. less diff.
C 21	yes	yes	yes	yes	yes	yes	yes	no	yes	yes	no	no	private	low	hyd	mrdiff,
C 22	yes	yes	no	yes(Sw)	yes	no	yes	no	yes	yes	no	no	private	low	mgt	mrdiff
G23	yes	yes	no	yes	yes	no	yes	no	yes	yes	no	no	town	high	subs	mrdiff.

Site #	Surrounding Level of Surpling Disturbance	Plant	Difficulty in Restoration of Functions	Habitats	Proximity to Landfill 2	Comments
BOSTON					1	
B1	high	none obs.	mrdiff.	no	yes	*dependent on restoration of proper soils and vegetation Welland restoration currently included in on-going design o Pope John Paul II Park Public identification as a priority site.
B 2	high	pa	mrdiff.	по	yes	*dependent on restoration of proper soils and vegetation
B3	high	pa	mrdiff.	no .	no	Wetland restoration concept planning and design currently on-going. Public identification as a priority site.
B 4	high	none		no	no	
B5	high	pa,ls	less diff.	No	No	"Lower Neponset River Banks". Desired restoration of naturalized riverbanks and floodplain wetlands. Significant limitations due to existing flood conveyance functions.
B6	mod	pa	modiff.	No	No	Victory Road Park (tidal). Very visible expanding stands of Phragmites at upper edges of young salt marsh.
CANTON						
C 1	mod	ра	lessdiff flood; mrdiff WQ,FW	yes	no	*maybe some bog interspersed, Rare/end, sp / ACEC
C 2	mod	none obs.	mrdiff WQ,FW	yes	no	restoration will not improve function & end spe/rare/acec
C 3	mod	none obs.	mrdiff WQ,FW	yes	no	end spe/rare/acec
C 4	mod	none obs.	iessdiff flood; mrdiff WQ	no ·	no	
C 5	high	none obs.	lessdiff flood;mrdiff WQ	no	по	
C 6	mod	none obs.	lessdiff flood;mrdiff WQ,FW	no	no	
C 7	mod	none obs.	lessdiff flood;mrdiff FW	по	no	
C 8	mod	none obs.	mrdiff.	no	no	*water quality improved only if proper soils established
C 9	mod	pa, ls	mrdiff.	no	no	
C 10	low	none obs.	lessdiff.	no	no	*brook a low priority trib. in terms of water quality
C 11	low	none obs.	lessdiff.	yes	no	*brook a low priority trib. in terms of water quality/rare wet wl
C 12	low	none obs.	lessdiff.	no	по	*brook a low priority trib. in terms of water quality/rare wet wl
C 14	mod	none obs.	less diff.	no	yes	*brook a low priority trib. in terms of water quality
C 15	mod	none obs.	less diff.	no	no	
C 16	mod	none obs.	less diff.	no	yes	*brook a low priority trib. in terms of water quality
C 17	high	none obs.	less diff.	no	no	*brook a low priority trib. in terms of water quality
C 18	mod	pa	lessdiff flood; mrdiff WQ,FW	yes	no	rare wetl. wildl./acec. Canton Airport site. Wetlands restoration opportunity corrently under consideration during MDC master planning process.
C 19	mod	none obs.	mrdiff.	yes	no	acec
C 20	low	none obs.	mrdiff.	yes	no	acec
C 21	mod	none obs.	mrdiff.	yes	no	*berm removed lessons existing flood control / acec
C 22	mod	none obs.	lessdiff flood; mrdiff,- WQ	yes	no	acec
C23	mod	none	lessdiff flood; mrdiff WQ	no	no	*water quality function only possible if proper soils and veg are restored

Neponset River Watershed Wetland Restoration Plan List of Potential Wetland Restoration Sites

CANTON	Site#	Existing		Impact Characterizations		Size (ac.)		Surrounding			Restore	Upgradient			Channel Absent	Flat Site 7	
CANTON C24 UPL PFO Biscincusors seek 1 -5 LUNX involve yes 100 100 yes 190 190 190 190 190 190 190 190 190 190	and the second	Wetland Type	Wetland Type		Type		Classificatio	n Landscape	Storage ?	Water Quality 7	Fish & Wildlife	of Flood Damage	100-Yr. Floodolain ?	Outlet ?	or Modifiable ?		Vegetation Type
C24			120						and the second	4			K (AB) i ab	a the same of the	400		
Case Post	CANTON									,							
DEDHAM PEMPT PEM	C24 .	UPL	PFO		1	~5	LMbt	ind/wl	yes	*no	no	yes	yes	yes	yes	yes	yes
DO	C25	Upland	PEM/PFO		1	~15		for, hwy	Yes	Yes	Yes	Yes	No	No	Yes	No	Yes
DO 1	DEDHAM		<u> </u>			-	<u> </u>		<u> </u>			1	<u> </u>	J		J	1
DOVER		PFO	PFO	fill, small dike, lawn	1	~15	LMbt	ind/res	no	no	no	ves	no	ves	ves	no	yes
Discription PENNS PFO termed with cleared 2 -5 LMb Miles yes yes	DD 3	PFO/EM	PFO/EM		2	~250	LOffI										yes
D PEMSS PFO damed wf, deemed 2 -5 LMb against To yes no yes yes yes yes no yes yes yes yes no yes yes yes no yes yes yes no yes yes yes yes no yes ye	DOVER			 		1			I		'		J		<u> </u>		
PFO		PEM/SS	PFO		2	~5	LMbi	ag/wl/for	*no	yes	no ·	yes	yes	yes	yes	no	yes
Property D3	POW	PFO1/4		2	~5	LMbt	wl/for/res	yes	yes	no	yes	yes	yes	no	yes	yes	
D7			PFO	farmed	2		LMbo	ag/wl/for	yes	no	по	yes	yes	no	no	yes	yes
F 2		PSS/EM	PFO	cleared streambank	2	~5	LHbt	res		yes	yes				·		yes
F4	FOXBOROUGH		:	•													
F 5																	yes
F-6				undeveloped fill (see WL				res/ind/for/dist									yes yes
F7		PEM	PFO		2	~5	Tbi		no	no	no	yes	no	yes (none)	yes	no	yes
F 9 POW/PEM PFO moved 2 -2 Tb roads/res yes no no yes no yes no yes						~5						yes		yes	yes		yes
F10	F 8	PFO/SS	PFO	linear ditch	2	~5	LMbt	res/wl	yes	yes	no	yes	no	yes	yes	yes	yes
F11	F 9	POW/PEM	PFO	mowed	2		Tbi	roads/res	yes	no	no	yes	no	yes (none)	yes	yes	yes
PEM PFO partially cleared & mowed 2 -5 LHbo ag/for no no no yes no yes yes		PEM				~2			· no							no	yes
MEDFIELD	F 11	PEM/SS	PFO		2	~65	LMbt	com/for/ag	yes	yes	yes	yes	yes	yes	no	yes	yes
F 16				partially cleared & mowed			LHbo	ag/for	no	no	no	yes	no	yes	no	no	yes
M2	F 16	PEM	PFO		2	~15	LHbt	road/com	yes	*no	no	yes	yes	yes	yes		yes
M S PEM PFO Cleared & linear ditch 2 -1 LMbt Zhouses/for/w yes no yes yes no yes	MEDFIELD													÷			
M8 PFO4/SS PFO4 linear ditch 2 ~5 LMbo for/ag yes no yes			PFO/SS														yes
MILTON M	M 5	PEM	PFO	cleared & linear ditch	2	-1	LMbt	2houses/for/wl	yes	no	yes	yes	no	yes	yes	yes	yes
ML 1	M 8	PFO4/SS	PFO4	linear ditch	2	~5	LMbo	for/ag	yes	no	yes	yes	yes	yes	yes	yes	yes
ML 2	MILTON		L.			<u></u>	· .				1						
ML 3 E2EM E2EM fill & some ditches 1,2 -15 ERIf ow/com/road no yes yes no										yes							
ML 4 E2EM E2EM diked, phrag areas, mosq. ditching, didal nestriction, major hwy, some fill 2 -250 ERIf for/res/righwy/ ow own and phase. no yes yes no ML 5 E2EM E2EM mosq, ditching, tidal restriction, major hwy, some fill 1,2 -15 ERIf phwy/res/co no yes no yes no ML 6 PEM/OW E2EM tidal restriction, wtld. in golf course 2 ~15 LOffr golf no yes no				ditching											VI.		
Mt. 5					1,2												
fill	ML 5	E2EM	E2EM	mosq. ditching, tidal	1,2	~15	ERIf	hghwy/res/co	no	ļ	yes	no					
	ML 6	PEM/OW	E2EM	fill tidal restriction, wtld. in golf	2	~15	LOffr		no	yes	yes	no				. ,	
ML7 PFO PFO small-fill-unvegetated 1 ~5 LMbt witres/cem no no no no	ML 7	PFO	PFO	course small fill - unvegetated	1	~5	LMb1	wi/res/cem					ļ			<u> </u>	

Site#	in Position to Improve Water Quality?	Will There be Surface Water Impacts ?	Soils Suitable for Phosphate Removal ?	Soils Suitable for Nitrate Removal ?	Saturated ?	/ Seasonal or Permanent Flooding ?	Low Gradient Site ?	Channel Flow	Support Dense Emergent Vegetation ?	Habitat Quality?	Habitat Diversity ?	Connectivity to Other Habitats ?		Cost of Restoration	200	Difficulty in Restoration (Wetland
		152	49.00			1.00							152			
CANTON																
C24	yes	yes	no	yes(Fm)	yes	yes	no	no	yes	yes	no	no	private	mod	subs	mrdiff
C25	Yes	No	Yes	Yes	No	Yes	Yes	No	No	Yes	Yes	Yes	MA-Hwy	High	subs. bio	less diff
DEDHAM			<u> </u>	<u> </u>	1 .	<u> </u>			<u> </u>				<u> </u>			1
DD 1	yes	yes	no	no	no	yes(portion)	no	no	yes	yes	no	T no	private	mod	subs	mrdiff.
DD 3	yes	yes	yes(Sa)	yes(Sw)	yes	yes	yes	no	yes	yes	yes	no	MDC & town	mod	hyd, bio	mrdiff
DOVER	1		4,	1	<u> </u>	<u>.</u>		L.,	<u> </u>				1	<u> </u>	1	<u> </u>
D1	yes	yes	yes(Sb)	no	T vec	no	no	no	Vos	1 400	1		Legiunto	T ta	T	
D3	yes	yes	no	yes(Sw,Fm)	yes				yes	yes	no	no	private	low	mgt	mrdiff.
,	yes	yes	110	yes(Sw,Fili)	yes	no	yes	no	yes	no .	*yes	no	private	mod	subs, hyd	most diff.
D 5	yes	yes	, no	no	no	no	yes	no	yes	yes	no	по	private	low	mgt	most diff.
D7	yes	yes	no	yes(Fm)	yes	no	no	no	yes	yes	no	yes (ws)	private	low	mgt	mrdiff
FOXBOROUGH																
F 2	no			<u> </u>		T	T	T		yes	no	no	private	low	hyd	mrdiff.
F 4	no									yes	no	no	private	mod	hyd, mgt	mrdiff.
F5	no									yes	no	no	private	mod	subs	mrdiff.
F6	no									yes	no	no	private	low	mgt	mrdiff,
F 7 F 8	no			15-15-1						yes	no	no	private	low	mgt	mrdiff.
ro	yes	yes	no	yes(Fp)	yes	no	yes	no	yes	yes	no	. no	private	low	hyd	mrdiff
F9	no			-						yes	no	no	private	low	mgt	mrdiff.
F 10	yes	yes	no	no	no	no	no	no	yes	yes	no	no	town & priv	low	mgt	mrdiff.
F 11	yes	yes	yes(Sb)	yes(Sw)	yes	no	yes	no	yes	yes	no	yes	priv. & deed	mod	hyd, mgt	mrdiff
F 14	yes	yes	no	no	no	no	no	no		vec	no .	no	private	low	mat	mrdiff.
F 16	yes	yes	no	no	yes	no	yes	110	yes yes	yes yes	no	110	private	low	mgt mgt	mrdiff.
MEDFIELD	J						1	<u> </u>	<u>'</u>			<u> </u>				
M 2	yes	yes	по	yes(Fm)	yes	no	yes	T voc	T	T	1	(100 (100)	T advata 1			T
M 5	no	700	110	yes(i iii)	, yes	110	yes .	yes	no no	yes yes	no	yes (ws) yes	private private	low	mgt hyd, mgt	mrdiff mrdiff
M 8	no								 	yes	*yes	yes	private	low	hyd	mrdiff.
MILTON						L	1	l		<u> </u>	<u> </u>					<u> </u>
ML 1	yes	yes	no	yes	yes	yes	yes	no	yes	yes	yes	no	town & priv.	mod	hyd	less diff
ML 2	yes	yes	no	yes	yes	yes	yes	no	yes	yes	yes	no	MDC & priv.	mod	hyd, bio	less diff.
ML 3	yes	yes	no	yes	yes	yes	yes	no	yes	yes	yes	no	private	mod	subs, hyd	less diff.
ML 4	yes	yes	no	yes	yes	yes	yes	uo	yes	yes	yes	no	MDC	high	hyd, subs, bio	less diff.
ML 5	yes	yes	no	yes	yes	yes	yes	no	yes	yes	yes	no	MDC	mod	hyd, subs	less diff.
ML 6	yes	yes	no	yes	yes	yes	yes	ne	yes	yes	yes	no	town	mod	hyd	less diff.
ML 7	no			1		 	1	 		ves	no	no	town	low	subs	mrdiff,

Neponset River Watershed Wetland Restoration Plan List of Potential Wetland Restoration Sites

Site #	Surrounding Level of Disturbance	Plant	Difficulty in Restoration of Functions	Habitats	Proximity to Landfill ?	Comments Commen
CANTON		***************************************				
C24	mod	none obs.	lessdiff.	no	no	*brook a low priority trib. in terms of water quality
C25	high	pa,ls	less diff.	Yes	No	I-95 stub north of Route 128 at Fowl Meadow Potentral M/ Hwy restoration by removal of existing ramps and roadways on fill.
DEDHAM						
DD 1	high	none obs.	1	yes	no	acec
DD 3	high	ра	lessdiff fld; mrdiff WQ,FW	yes	no	end. sp /rare/acec
DOVER						
D 1	low	none obs.	**lessdiff.	no	no	*impact at downstream end of wild-little conveyance: **understory to forest easy
D 3	mod	none obs.	lessdiff flood; mrdiff FW	no	no	*much of surrounding wetlands PFQ4
D 5	low	none obs.	lessdiff.	no	no	
D7	mod	none obs.	mrdiff.	no	no	
FOXBOROUGH						
F 2	low	none obs.	less diff.	no	no	
F 4	mod	none obs.	less diff.	no	no	
F 5	high	none obs.	less diff.	no	no	
F6	mod	none obs.		no	no	
F 7	mod_	none obs.	less diff flood; mrdiff WQ	no no	no no	*headwater area, little conveyance involved
F9	mod	none obs.	less diff.	no	no	
F 10	low	none obs.	1	no	no	
F 11	mod	none obs.	less diff flood; mr diff. WQ,FW	no	no	
F 14	low	none obs.		no	по	
F 16	mod	none obs.	less diff.	no	no	*water quality potential dependent on proper soils and plantlife being restored, photo shows it to be wet.
MEDFIELD						
M 2	mod	none obs.	mrdiff.	no	no	site needs to be checked for fill, mowed, or no potential
M 5	low	none obs.	lessdiff, - flood; mrdiff,- FW	no	no	
M 8	low	none obs.	lessdiff flood; mrdiff FW	no	no	site may include white pine
MILTON						
ML 1	high	none obs.	mrdiff.	no	по	
ML 2	high	ра	mrdiff.	no	no	
ML 3	high	ра	mrdiff.	no	no	
ML 4	mod	pa	mrdiff,	no	no	
ML 5	high	pa	mrdiff,	ńg	no	The second secon
ML 6	mod	pa	mrdiff.	no	no	
ML 7	mod	none obs.		no	no	

Site #	Existing Wetland	- Predicted Wetland	Impact Characterizations		n Size (ac.)			Restore Flood		Restore	Upgradient	Located in	Constricted	Channel Absent	Flat Site	Support
	Type	Type		Type		Classification	n Landscape	Storage ?	Water Quality 7	Fish & Wildlife	of Flood	100-Yr. Floodplain 7	Outlet?	or Modifiable ?		Vegetatio Type
MILTON										Habitat?	Area ?			1997		
ML 8	PFO	PFO	linear ditch	2	~5	Tbi	1 :								,	
ML 9	PFO/EM	PFO/EM	grid ditching	2	~125	LMbt	inst/roads golf/for/res	no no	no	no	no					
ML 10	POW/UPL	PFO	golf course ponds beside	1	~65	LMbt	golf/for/res		no	yes	no			· · · · · · · · · · · · · · · · · · ·		
			PFO PFO		1 -03	LIVIDE	gomomes	no	no	yes	no			Ì		
ML 11	PEM/SS	PFO	old road bed, small fill	2,1	-65	LMbt	road/for/res	no	no	yes	no					
ML 12	PEM/SS/FO	PEM/SS/F	sewer	2	~250	LTff!	rr/wl/res/for	yes	yes	yes	yes	yes	1/00	1 100		
		0	eas.,ditched,mowed(see C 1)					,	,,,,,,	,00	yes	yes	yes	yes	yes	yes
ML 13	PEM	PFO	mowed, small channel	2	~15	LHbt	ag/for/res	no	no	yes	yes	no	yes	yes(part)	no	yes
ML 14	PEM	PFO	mowed	2	~3	LHbo	ag/for	no	no	yes	yes	no	no	no	no	yes.
ML 15	PSS/EM	PFO	mowed	2	~5	LHbt	ag/for	no	no	no	yes	по	yes	yes	no	yes
ML 16	PEM	PFO	small mowed area	2	~2	LHbt	road/res	no	no	yes	no			1	1.0	100
ML 17	PFO	PFO	linear ditch	2	~15	L.Hbt	res/wl	no	no	110	no					
ML 18 ML 19	UPL	PFO PFO	fill		~1	LMbt	res/tor	no	*110	yes	no					1
ML 19	PEM	PFO	fill for athletic fields	1	~15	LHbo	res/rec/inst	110	no	yes	no					
ML 20	PEM	E2EM	mowed clouds of with phragmites	2	~1	Tbi	res/for	no	110	no	no					
ML22	Upland/PFO		cloverleaf with phragmites		~5	Tbi	hwy	no	no	yes	no					
WILZZ	Органцияго	PF0/PSS	filled & rip-rapped (See B5)	1.2	~15		ind res	No	Nο	Yes	Yes	Yes	No	No	No	Yes
NORWOOD						-	<u> </u>			İl				<u> </u>		L
N 1	PEM/SS/FO		channels, ditches,	2	>250	LOffi	airport/ind/res/	yes	yes	yes	yes	yes	yes	yes	yes	yes(part)
		0 -	sediments				hghwy	, .	,00	,	yes	yes	yes	yes	yes	yes(pan)
N 2	PEM/SS	PFO	mowed	2	~65	LHbo	road/ind/res	*no	no	no '	yes	no				
N 3	PEM/SS	PFO	mowed	2	~15	LMbt	road/ind/res	yes	no	yes	yes	yes	yes	yes	yes	yes
				_		251	1000	,03	110	yes	yes	yes	yes	yes	yes	yes
N 5	PFO/SS	PFO/SS	fill, ditched, & diked (see	1,2	~5, ~125, ~65	LMbo	res/rec	yes, no, yes	yes	no	yes	no	yes	no	yes	yes
			W12)					,,	,		, , , , ,		,00	110	, yes	yes
N 6	PFO/SS	PFO	impounded by sewer	2	~15	LMbt	com/for/res	*no	no.	no	yes	no	yes	yes	yes	yes
			easement								, l		,	,,,,	,	,,,,
N 8	PFO	PFO	linear ditch	2	~15	LMbt	res/inst	^no	yes	no	yes	no	yes	yes	yes	yes
N 9	PEM	PEM	phragmites, berm	2	~15	LOffI	com/ind/res/h wy	°no	yes	yes	yes	yes	yes	no	yes	yes
N 10	PEM	PEM	phragmites	2	~5	LMbo										
N 11	PEM/FO/UP	PFO	mowed, fill	1,2	~15	LIVIOU	wl/res/ind com/ind/res/h	*no yes (fill)	*no	no	yes	yes	yes	yes	yes	no
				-,-		COIII	wy	yes (iiii)	yes	no	yes	yes	yes	no	yes	yes
N12	Upland/PFO	PFO	filled for parking	1,2	~5		ind, res	Yes	Yes	Yes	Yes	Yes		Yes	Yes	Yes
N13	PEM/POW	PEM/POW	channelized, impounded	2	~5		res, park	No	No	Yes	Yes	Yes	Yes	Yes	No	Yes
QUINCY																
01	E2EM	E2EM	fill & mosquito ditching	17	~15 T	EDI										
Q 2	E2EM	E2EM	fill & mosquito ditching	1,2	~65	ERIf ERIf	ind/eow/sm ind/eow/sm	no	yes	yes	no					
Q 3	PEM	PEM	fill	1	~5	Tbi	Ind/eow/sm	no	yes	yes	no					
Q 4	E2EM	E2EM	mosquito ditching	2	~65	ERIf	res/eow/sm	no no	no	no	no					
Q 6	E2EM	E2EM	mosquito ditching, dike	2	~65	ERIf			yes	yes	no					
Q 7	PFO/SS	PFO/SS	linear ditch, some fill	1,2	~65	Tbi	com/golf	no	yes	yes	no					
Q 8	PFO/SS	PFO/SS	sedimentation	2	~65	LMbo	res for/landfill	no no	no	no	no					
Q9	Upland/	E2US /	fill, seawall, sheet piling	1.2	-3	LIVIDO	for, ow	No No	yes No	110 Yes	no No	Vac		N1-	· .	
-	E2US	E2RS					101, 0W	140	140	162	140	Yes	No	No	No	No

Site#			Soils Suitable for Phosphate			y Seasonal or Permanent	Low Gradient	Channel	Support Dense	Habitat	Habitat	Connectivity	Type of	Cost of	Fix Type	Difficulty in
e de la companya della companya della companya de la companya della	Impacts ?	Removal ?	Removal 7		Flooding?	Site 7	Flow	Emergent Vegetation ?	Quality ?	Diversity ?	to Other Habitats ?		Restoration		Restoration Wetland	
/ILTON																
ML 8	no			T	1	1	Т	T	T	yes	no .	no	priv. (deed)	low	hyd	mediff
ML 9	no				<u> </u>			·		yes	yes	no	town & priv.	mod	hyd	mrdiff. mrdiff.
ML 10	no				-					yes	no	yes	priv. (deed)	high	subs	mrdiff
ML 11	no		 	 				·	-	yes	no	yes	MDC	mod	subs, hyd	mrdiff.
ML 12	yes	yes	yes(Sa, Sb)	yes(Sw)	yes	yes(Sa)	yes	no	yes	yes	*yes	no	MDC & priv.	high	hyd	mrdiff.
ML 13	yes	yes	no	no	no	no	no	no	yes	yes	no	yes	priv. (deed)	low	mgt	mrdiff
ML 14	no									yes	no	yes	priv. & deed		mgt	mrdiff.
ML 15	no					,				yes	no	no	priv. (deed)	low	mgt	mrdiff.
ML 16	no									yes	no	yes(ws)	private	low	mgt	mrdiff.
ML 17	no .									yes	no	no	private	low	hyd	mrdiff.
ML 18	yes	yes	yes(Sb)	no	yes	no	yes	110	yes	yes	no	yes	town	mod	subs	mrdiff.
ML 19	no					1				yes	no	yes(ws)	priv. & deed	high	subs	mrdiff
ML 20	по									yes	no	no	private	low	mgt	mrdiff.
ML 21	no							<u> </u>		yes	yes	no	Mass Hwy	mod	hyd	less diff
ML22	No	No	Yes	No	No	Yes	No	No	No .	Yes	Yes	Yes	Pub./Priv	High	subs	less diff
ORWOOD				J				1	<u></u>	<u></u>		l	l		<u> </u>	<u> </u>
. N 1	yes	yes	yes(Rm, Sa)	yes(Fm, Sw)	yes	yes(Rm, Sa)	yes	no	ves	yes	yes	no	pri./deed/tw n	high	hyd, subs	less diff
N 2	yes	VOC	no	no	no	-	+	 	·		 				ļ	ļ
N 3	yes	yes	no	no .	no	no no	yes yes	no	yes yes	yes yes	no no	no yes	town & deed town	low 	mgt mgt, hyd	mrdiff. mrdiff
																Ì
N 5	yes	yes	no	yes(Fm. Sw)	yes	no	yes	yes	yes	yes	no .	no	private	mod, mod, low	subs, subs, hyd	mrdiff.
N 6	no									no	no	no	private	mod	hyd	mrdiff
N 8	100	1100	vos(Po)			 	 	 								
N 9	yes	yes	yes(Ra)	no	no	yes	yes	no	yes	no	no	no	town & priv.	low	hyd	mrdiff.
14.5	yes	yes	no	yes	yes	no	yes	no	yes	yes	yes	no	town & priv.	low.	bio.	less diff.
N 10	yes	yes	no	yes(Sw)	yes	no	yes	. no	V00							
N 11	yes	yes	no	yes	ves	no	yes	no	yes	yes	no no	no no	private town & priv.	low	bio	less diff
	,	,		,	,00		,,,,	· · · · · · · · · · · · · · · · · · ·	yes	yes	110	110	town & pitv.	mod .	subs, mg!	mrdiff.
N12	Yes	No	No	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Priv.	High	subs, hyd.	less diff
N13	No	Yes	Yes	No	Yes	Yes	No	Yes	. No	Yes	Yes	Yes	Town/Priv.	Low	subs, mgmt	less diff.
UINCY	<u> </u>									1	Ĺ.,					
	т	<u> </u>						r 			,					
Q 1	yes	yes	no	yes	yes	yes	yes	no	yes	yes	yes	no	private	mod	subs, hyd	less diff
Q 2	yes	yes	no	yes .	yes	yes	yes	no	yes	yes	yes	no	priv. & deed	high	subs, hyd	less diff
Q 3	no						 			yes	no	no	private	mod	subs, bio	less diff.
Q 4	yes	yes	no	yes	yes	yes	yes	no ·	yes	yes	yes	no	private	mod	hyd	less diff.
Q.6	yes	yes	no	yes	yes	yes	yes	no	yes :	yes	yes	no	private	mod	hyd, subs	less diff
Q 7	no				····	ļ	ļ			yes	no	no	town	mod	subs, hyd	mrdiff.
Q.8	yes	yes	no	yes(Fm)	yes	yes	yes	yes	yes	yes	no	no	town	mod	subs .	mrdiff
Q9	No	· No	No	No	No	Yes*	Yes	No	No	Yes	Yes	Yes	MDC	High	subs	modiff .

Site #	Surrounding		Difficulty in			Comments
	Level of	Plant	Restoration		Landfill ?	
	Disturbance	Species /	of Functions	Present /		
MILTON						
ML 8	mod	none obs.	1	T		
ML 9	low	none obs.	mrdiff.	no	no	rare wetl. wildl
ML 10	mod	none obs	mrdiff.	yes	no no	rare well, wildi
	11100	I None obs.	man.	,,,,	110	
ML 11	low	none obs.	mrdiff.	yes	no	rare wett, wildt,
ML 12	mod	pa	lessdiff - fld:	yes	no	*maybe some bog interspersed, rare/end sp. ACEC
		'-	mrdiff	,		, major como cog moroportos, rararana aprividad
		1	WQ,FW			
ML 13	mod	none obs.	mrdiff.	no	no	
ML 14	low	none obs.	mrdiff.	yes	no	end. spe. hab.
ML 15	low	none obs.		· no	no	
ML 16	low	none obs.	mrdiff.	no	no	
ML 17	high	none obs.		no	no	
ML 18 ML 19	mod	none obs.	mrdiff.	no	no	*brook is low priority in terms of water quality
ML 20	mod -	none obs.	mrdiff.	yes	no	rare wetl. widi.
ML 21	high	pa	mrdiff.	no	no no	
ML22	high	pa,ls	less diff,	no No	No	"Lower Neponset River Banks". Desired restoration of
WICEZ	19	pa,is	leas dill,	140	1 740	naturalized riverbanks and floodplain wetlands. Significan
		}				Ilmitations due to existing flood conveyance functions.
NORWOOD			L			Intrinductions due to existing flood conveyance fanctions.
····		· · · · · · · · · · · · · · · · · · ·				
N 1	high	*pa	lessdiff	yes	no	*pa only 5 acres, control it now! End./rare Sp. ACEC
	1	1	flood; mrdiff			
N 2		-	WQ			
N 3	mod	Is	1	no	no	*headwater area, no flow through
N 3	high	none obs.	lessdiff flood; mrdiff	no	no	
	1		FW			
N 5	mod	ls	lessdiff	no	yes	
11.0	11100		flood: mrdiff	710	yes	
			wo			
N 6	mod	none obs.		no	no	*altering berm will negatively impact flood control
						, , ,
N 8	high	none obs		no	no	improved conveyance may be offset by flooded property
N 9	high	ра	mrdiff.	yes	no	*no flood control_imprmt, with change in plantlife,
						Rare/End. Sp./ACEC Identified by private-sector interests
						as a restoration/mitigation opportunity.
N 10	high	pa		no	no	*no flood or water quality imprmt, with change in plantlife
N 11	high	pa	lessdiff	yes	no	end spe/rare/acec. Identified by private-sector interests as
		1 1	flood; mrdiff WQ		1	a restoration/mitigation opportunity
N12	high	none obs.	modiff.	. No	No	Filled for parking & accessory industrial use. Possible
1412	riigri	none obs.	mount.	140	140	cance access location.
N13	mod	none obs.	less, diff.	No	No	In-stream fisheries habitat enhancement project in Hawes
*****					1	Brook. Impounded; former municipal swimming areas.
						Locally initiated restoration efforts underway
DUINCY						2,00,00
Q 1	high	none obs.	mrdiff.	no	no	
Q 2	high	none obs.	mrdiff.	no	no	Public identification as a priority restoration opportunity
Q3	high	pa pa	mediff	no	no	
Q 4	high	none obs.	mrdiff.	no	no	
Q 6	high	none obs.	mrdiff.	no	no	
Q7	high	none obs.		no	no	
Q 8 Q9	low mod	none obs.	mrdiff.	yes		end, spe, hab.
สล	11100	HORE OUS.	modiff.	No		Failing shoreline stabilization at Squantum Point (tidal). High energy shoreline may require hard-scape or
			1			might effective shoreline may require hard-scape of

Site #	Existing Wetland Type	Predicted Wetland Type	Impact Characterizations	Type	Size (ac.)		Surrounding Landscape	Restore Flood Storage ?	Restore Water Quality ?	Restore Fish & Wildlife Habitat ?	Upgradient of Flood Damage Area ?	Located in 100-Yr. Floodplain ?	Outlet?	Channel Absent or Modifiable ?		Support Vegetatio Type
SHARON											,,,,,					
SH 1	PFO/SS	PSS/EM	ditched	2	-250	LOffi	res/wl/hghwy	yes	yes	yes	yes	yes	yes	yes	yes	no
SH 2	PEM	PFO	mowed golf course	2	~5	LHbt	golf	no	no	1000						
SH 3	PEM	PFO	mowed golf course	2	~5	LHbt	golf	110	no	yes yes	yes yes	no.	yes no	no no	no	yes yes
SH 4	PFO	PFO	linear ditch, small mowed portion	2	-65	LMbt	for/res	yes	yes	no	yes	yes	yes	yes	yes	yes
SH 5	PFO	PFO	linear ditch, small mowed portion	2	~15	LMbo	res	yes	yes	no	yes	no	yes	yes	yes	yes
SH 6	PFO	PFO	linear ditch	2	- 15	l.Mbt	lake/res	*no	yes	no	yes	yes	yes	yes	yes	yes
SH 7	PSS/FO4/E M	PFO4	diked	2	~65	LMbo .	res/rr/wl	yes	no	yes	yes	no	yes	yes	yes	yes
SH 8	PEM/SS	PFO	diked	2	~3	LMbt	for/hghwy	*no	no	no	yes	no	yes	yes	yes	yes
SH 9	UPL	PFO	cut forest beside residential	1	~5	LHbt	res/for/hghwy	no	'no	no	yes	no	ves	no	no	yes
SH 10	PEM	PFO	mowed	2	~1	LHbo	wl/res/for	no	no	no	yes	no	yes	no	no	yes
SH 11	PSS	PFO .	cut forest, very small	2	~1	LHbt	wl/for	no	no	no	yes	no	no	no .	no	yes
SH 12	PFO/OW	PFO	excavated, some fill?	1	~3	LHbt	road/for	yes	no	yes	yes	no	yes	yes	yes	yes
SH 13	PEM/SS	PEM/\$S	grid ditched area,not in crnbrry bog	2	~15	LMbt	res/for/hghwy	yes	•no	yes	yes	no	yes	yes	yes	yes
SH 14	PFO/SS/UP	PFO	fill	1	~65	LMbt	ind/road/wl	yes	*no	no	yes	no	yes	yes	yes	yes
SH 15	PEM/OW	PFO	excavated, poss. fill or cleared	1,2	~5	LHbt	ind/com	yes (fill)	*no	no	yes	no	yes	no	yes	yes
SH16	PFO/PSS	PFO/PSS	fill, vegetation alterations (See WL62)	1,2	~1		comm, for	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes
TOUGHTON		·														
S 2	PEM	PFO	mowed	2	~65	LMbo	res/wl	yes	no	no	yes	yes	yes	yes	yes	yes
<u>S3</u>	PFO	PFO	linear ditch, some fill	1,2	~15	LMbo	res/wl	no	yes	yes	yes	no	no	yes	no	yes
S 4	PEM/SS	PFO	cleared	2	~5	LHbt	for/road/res	yes	no	no	yes	no	yes	yes -	yes ·	yes
S 6	PSS	PSS	ditch	2	~15	LMbt	ow/res	yes	no	no	yes	no .	yes	yes	yes	yes
\$7 \$8	PEM PEM	PFO PFO	mowed mowed	2 2	~1 ~5	LHbt LMbt	ag/wl	no	no	no	yes	no	no	no	no	yes
S 9 .	PSS/FO	PFO	linear ditching (see C 15)	2	~15	ŁMbo	ag/res/wl sand/gravel/co m/res/for	yes yes	no no	no no	yes	no yes	yes yes	yes yes	yes yes	yes yes
S 11	PFO/SS	PFO	linear channel	2	~5	LMbo	sand/gravel/re s/for	yes	*110	· no	yes	yes	yes	yes	yes	yes
S 12	PSS/EM	PSS/EM	linear ditching	2	~65	LMbt	res/for/wl	yes	*no	yes	yes	yes	yes	yes	yes	no
S 13	PSS	PFO	fill, isolated wetland area	1	~1	Tbi	res/road/ind	Vec	no	no	ves	no	VAS	Voc	VC2	
S 14	PSS	PSS	linear ditch, small levees?	2	-15	LMbt	ag/res/for	yes yes	no	no	yes	no	yes yes	yes yes	yes yes	yes
VALPOLE				- 1		C.901	- Agr. 9.0/(0)	103	.10	100	100	1		<u>169</u>	yes	ı yes
WL 3a	PEM	PFO	cleared & mowed	2	~5	LMbt	res/ag/wl/ind	on.	no	yes	yes	yes	yes	yes	yes	yes
WL 3b.	PEM/SS	PFO	cleared & mowed	2	~15	LMbt	res/wi/ind	yes	yes	no	yes	yes	no	no	yes	yes
WL 4	PSS/EM	PFO	excavated & fill/berm	1	~1	LMbo	road/ind/wl	no	yes	no	yes	no	yes	no	110	yes
WL 6	PEM	PFO4	ind, roads create impoundment, Is	2	~15	Tfi	ınd/rd	no (depression)	no	yes .	yes	no	yes (none)	no	yes	yes
WL 9	PSS	PFO4	power line right of way	2	~5	LMbt	for/res/power	yes	no ·	yes	yes	yes	yes	yes	yes	yes
WL 14	PFO	PFO	fill north of road	1	~1	LMbo	com/ind/res	yes	no	no	yes	no	yes	yes	yes	yes
WL 16	PEM/PFO	PFO	mowed or cleared	2	~1 ~5	LMbt	wl/res/ind	yes	yes	on	yes	yes	yes.	yes	yes	yes
	4 1	1	easement, ditching	í	- 1			, · · -	,		,	1 . , ~	,	,	,	,,,,,

Site#			Soils Suitable					Channel	Support Dense		Habitat		Type of			Difficulty in
		Surface Water Impacts ?	for Phosphate Removal ?	Removal 7		Flooding?	Gradient Site ?	Flow	Emergent Vegetation ?		Diversity?	to Other Habitats ?	Ownership	Restoration		Restoration o
and the second											J		7.00			
SHARON															-	
SH 1	yes	yes	yes(Rm)	yes	yes	yes(Rm)	yes	no	yes	yes	yes	no	twn/deed/pri	mod	hyd	mrdiff.
SH 2	yes	yes	no	no	no	no	no	no	yes	yes	110	yes	pn.(deed)	low	mgt	mrdiff
SH 3	yes	yes	no	no	no	no	yes	20	yes	yes	no	yes	pri (deed)	low	mgt	mrdiff.
SH 4	yes	yes	no	yes(Sw)	yes	yes	yes	no	yes	yes	no	no	nonprofit	low	hyd, mgt	mrdiff .
SH 5	yes	yes	yes(Sb)	no	yes(Sb)	yes	yes	no	yes	yes	по	110	town & pri	low	hyd, mgt	mrdiff
SH 6	yes	yes	no	yes	yes	yes	yes	no	yes	yes	. no	no	town & pri	low	hyd	mrdiff
SH 7	no			<u> </u>				ļ	<u> </u>	yes	yes	no	town & pri	mod	hyd	modiff
J	1.0									yes	yes	110	lowing pin	mod	liya	, mount
SH 8	. no			,						yes	no	no	nonpro &	mod	hyd	mrdiff,
SH 9	yes	yes	yes(Ra)	no	no	ves	yes	yes	yes	yes	no	no	pri. town & priv.	mod	subs	mrdiff.
SH 10	no	1	100(1.1.2)	1		190	1	1 , , , ,	J~u	yes	.no	no	nonprofit	low	mgt	mrdiff.
SH 11	no									yes	no	no	nonprofit	low	mgt	mrdiff.
SH 12	no									yes	no	yes	private	mod	subs	mrdiff.
SH 13	yes	yes	no	yes(Sw)	yes	yes	yes	no	yes	yes	yes	no	private	low	hyd	mrdiff.
SH 14	yes	yes	no	yes(Sw)	yes	yes	no	no	yes	yes	no	no	private	high	subs	mrdiff.
SH 15	yes	yes		,		1			1	yes	no	no	private	mod	subs	mrdiff.
SH16	Yes	No	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	· Yes	Town	Low	subs., mgmt	less diff.
STOUGHTON		· .		1	L			<u> </u>	L		1	<u> </u>			1	
\$ 2	yes	yes	no	no	no	по	yes	по	yes	yes	no	no	private	low	mgt	mrdiff.
S 3	yes	yes	yes(Sb)	no	yes	no	no	no	yes	yes	no	yes	private	mod	subs, hyd	mrdiff.
S 4	по									yes	no	no	town	mod	mgt, subs	mrdiff.
S 6	no		·							yes	по	no	private	low	hyd	mrdiff.
\$7	no			İ						yes	no	no	private	low	mgt	mrdiff.
S 8	no		***************************************		<u></u>				ļ	yes	no	no	private	low	mgt	mrdiff.
S 9	no									yes	no	no	private	mod	hyd	mrdiff
S 11	yes	yes	no	yes(Sw)	yes	yes	yes	nc	yes	yes	no	no	town	low	hyd	mrdiff.
S 12	yes	yes	no	yes(Fm)	yes	по	yes	no	yes	yes	yes	no	private	mod	hyd	mrdiff.
S 13	no					 		 	·		no	no	private	mod	subs	mrdiff
\$ 14	no					 	+	 		yes yes	no	no	private	mod	hyd	mrdiff.
WALPOLE	J										1		1 pilvaio 1	mod	1 11/0	1 1110111.
WL 3a.	yes	yes	no	no	no	no	no	no	yes	yes	no	yes	private	low	mgt	mrdiff
WL 3b.	yes	yes	no	yes(Fm)	yes	no	yes	no	yes	yes	no	no	priv. & town	low	mgt	mrdiff.
WL 4	yes	yes	no	yes(Sw)	yes	no	no	i no	yes	yes	no	no	private	mod	sub	mrdiff.
WL 6	no									yes	yes	no	private	mod	hyd, bio	modiff
WL, 9	no	·					***************************************			yes	yes	yes(ws)	private	mod	hyd. bio	rnodiff:
WL 14	no									yes	no	no	private	low	sub	mrdiff.
WL 16	yes	yes	yes(Sb)	по	yes	no	no	no	yes	yes	no	no	private	low	mgt	mrdiff.
		1			l	1	1	1	·	1 1			1 '			

	Surrounding Level of	Invasive Plant	Difficulty in Restoration		Proximity to Landfill ?	Comments
			of Functions			
SHARON						
SH 1	mod	none obs	less diff	yes	no	acec
			flood; mrdiff	,		
		1	WQ, FW	1		
SH 2	mod	none obs	mrdiff.	yes	no	acec
SH3	mod	none obs		yes	no	acec
SH 4	mod	none obs		no	yes	
		1	flood; mrdiff		1	
SH 5			WQ		ļ	
511.5	mod	none obs.	less diff	no	no	· ·
		1	flood; mrdiff, - WQ	1.	1	
SH 6	mod	none obs.	mrdiff.			National Control of the Control of t
3110	HIOG	none obs.	mou.	no	no	*lake controls flooding. Public identification as a priority project. GROWetlands nomination submitted
SH 7	mod	ра	less diff	no	no	forest cutting certificate #N-8-95F, photo #8. Public
0		Pa	flood; mrdiff, -	110	110	identification as a priority project. GROWetlands nominat
			FW		Į	submitted
SH 8	mod	none obs.		no	no	*dike removal probably will not enhance flood storage
	<u> </u>				, ,,,,	and tomotal probably the flot children flood storage
SH 9	mod	none obs.	mrdiff.	no	no	*brook a low priority trib. in terms of water quality
SH 10	low	none obs.		no	no	
SH 11	low	none obs.		no	no	
SH 12	low	none obs.	less diff.	no	no	
SH 13	mod	none obs.	less diff	no	no	*brook a low priority trib. in terms of water quality
		1	flood; mrdiff, -			
CILIA		ļ	FW		L	
SH 14	high	none obs.	lessdiff flood	yes	no	*brook a low priority trib. in terms of water quality
SH 15	mod	none obs.	less diff.	yes	no	*brook a low priority for water quality & rare wtl_wldl
SH16	mod	none obs	modiff.	No	No	Depart 60 (violation) during Dis.
31110	11100	Tione obs	inodin.	100	140	Recent fill (violation) during Rte. 1 reconstruction
STOUGHTON			·		1	
S 2	low	none obs.	less diff			
\$3 \$3		HOHE ODS.	less am.	no	no	
		anna aha				
	high	none obs.	mrdiff.	no	no	602
S 4	high low	ls .	less diff.	по	no no	maybe some fill? possible mitigation site
S 4 S 6	high low mod	ls none obs.		no no	no no no	maybe some fill? possible mitigation site
\$ 4 \$ 6 \$ 7	high low mod low	none obs.	less diff.	no no no	no no no no	maybe some fill? possible mitigation site
\$4 \$6 \$7 \$8	high low mod low mod	none obs. none obs. none obs.	less diff.	no no no no	no no no no	maybe some fill? possible mitigation site
\$4 \$6 \$7	high low mod low	none obs.	less diff.	no no no	no no no no	maybe some fill? possible mitigation site
\$4 \$6 \$7 \$8	high low mod low mod mod	none obs. none obs. none obs. none	less diff. less diff. less diff. less diff.	no no no no	no no no no no	
\$ 4 \$ 6 \$ 7 \$ 8 \$ 9	high low mod low mod	none obs. none obs. none obs.	less diff.	no no no no	no no no no	maybe some fill? possible mitigation site *brook a low priority trib in terms of water quality
\$ 4 \$ 6 \$ 7 \$ 8 \$ 9	high low mod low mod mod	none obs. none obs. none obs. none	less diff. less diff. less diff. less diff.	no no no no	no no no no no	*brook a low priority trib. in terms of water quality
\$ 4 \$ 6 \$ 7 \$ 8 \$ 9	high low mod low mod mod mod mod	none obs. none obs. none obs. none none	less diff. less diff. less diff. less diff. less diff.	no no no no no	no no no no no no	
\$4 \$6 \$7 \$8 \$9 \$11	high low mod low mod mod mod mod	none obs. none obs. none obs. none none	less diff. less diff. less diff. less diff. less diff. less diff.	no no no no no	no no no no no no	*brook a low priority trib. in terms of water quality
\$ 4 \$ 6 \$ 7 \$ 8 \$ 9 \$ 11 \$ 12	high low mod low mod mod low high	none obs. none obs. none obs. none obs. none obs. none obs.	less diff. less diff. less diff. less diff. less diff. less diff. less diff.	no no no no no	no no no no no no	*brook a low priority trib. in terms, of water quality
\$4 \$6 \$7 \$8 \$9 \$11	high low mod tow mod mod low	none obs. none obs. none obs. none obs. none obs.	less diff. less diff. less diff. less diff. less diff. less diff. less diff.	no no no no no no	no no no no no no	*brook a low priority trib. in terms of water quality
\$ 4 \$ 6 \$ 7 \$ 8 \$ 9 \$ 11 \$ 12 \$ 13 \$ 14	high low mod low mod mod low high	none obs. none obs. none obs. none obs. none obs. none obs.	less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff.	no no no no no no	no no no no no no no	*brook a low priority trib. in terms of water quality
\$ 4 \$ 6 \$ 7 \$ 8 \$ 9 \$ 11 \$ 12 \$ 13 \$ 14	high low mod low mod mod low high	none obs. none obs. none obs. none obs. none obs. none obs.	less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff.	no no no no no no no	no no no no no no no no no no no no no n	*brook a low priority trib. in terms of water quality *brook a low priority tnb. in terms of water quality
\$ 4 \$ 6 \$ 7 \$ 8 \$ 9 \$ 11 \$ 12 \$ 13 \$ 14 VALPOLE WL 3a.	high low med low mod mod low high mod	none obs. none obs. none obs. none obs. none obs. none obs. none obs.	less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff.	no no no no no no	no no no no no no no	*brook a low priority trib in terms of water quality *brook a low priority tnb. in terms of water quality End./Rare sp. hab. *Conveyance offset by small size and
\$ 4 \$ 6 \$ 7 7 \$ 8 \$ 9 \$ 11 \$ 12 \$ 13 \$ 14 VALPOLE	high low med low mod mod low high mod	none obs. none obs. none obs. none obs. none obs. none obs. none obs.	less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff.	no no no no no no no	no no no no no no no no no no no no no n	*brook a low priority trib. in terms of water quality *brook a low priority tnb. in terms of water quality
\$ 4 \$ 6 \$ 7 \$ 8 \$ 9 \$ 11 \$ 12 \$ 13 \$ 14 WALPOLE WL 3a. WL 3b. WL 4	high low mod tow mod low low mod mod low mod mod mod mod mod mod low mod mod mod mod low mod mod mod mod mod mod mod mod mod mod	none obs. none obs. none obs. none obs. none obs. none obs. none obs.	less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff. rW less diff. less diff. less diff.	no no no no no no no	no no no no no no no no no no no no no n	*brook a low priority trib in terms of water quality *brook a low priority tnb. in terms of water quality End./Rare sp. hab. *Conveyance offset by small size and
\$ 4 \$ 6 \$ 7 \$ 8 \$ 9 \$ 11 \$ 12 \$ 13 \$ 14 WALPOLE WL 3a. WL 3b.	high low med low mod mod low mod mod low high mod mod mod mod	none obs. none obs. none obs. none obs. none obs. none obs. none obs. none obs. none obs.	less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff. rW less diff. less diff. less diff.	no no no no no no no yes	no no no no no no no no no no no no no n	*brook a low priority trib. in terms of water quality *brook a low priority trib. in terms of water quality End./Rare sp. hab. *Conveyance offset by small size and surroundings
\$ 4 \$ 6 \$ 7 \$ 8 \$ 9 \$ 11 \$ 12 \$ 13 \$ 14 WALPOLE WL 3a. WL 3b. WL 4 WL 6	high low med low mod low low mod mod low high mod mod high high high	none obs. none obs. none obs. none obs. none obs. none obs. none obs. none obs. none obs. solution obs. none obs. solution obs.	less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff. rw less diff. less diff. less diff. less diff. mrdiff. mrdiff.	no no no no no no no no no no no no no n	no no no no no no no no no no no no no n	*brook a low priority trib. in terms of water quality *brook a low priority trib. in terms of water quality End./Rare sp. hab. *Conveyance offset by small size and surroundings
\$ 4 \$ 6 \$ 7 \$ 8 \$ 9 \$ 11 \$ 12 \$ 13 \$ 14 WALPOLE WL 3a. WL 3b. WL 4	high low mod low mod mod low mod mod mod low high mod mod high	none obs. none obs. none obs. none obs. none obs. none obs. none obs. none obs. none obs. none obs.	less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff. flood, mrdiff. FW less diff. less diff. mrdiff. less diff. less diff.	no no no no no no no no no no no no no n	no no no no no no no no no no no no no n	*brook a low priority trib. in terms of water quality *brook a low priority trib. in terms of water quality End./Rare sp. hab. *Conveyance offset by small size and surroundings part of former cedar swamp complex, end. spe. hab. & rare
\$ 4 \$ 6 \$ 7 \$ 8 \$ 9 \$ 11 \$ 12 \$ 13 \$ 14 WALPOLE WL 3a. WL 3b. WL 4 WL 6	high low med low mod low low mod mod low high mod mod high high high	none obs. none obs. none obs. none obs. none obs. none obs. none obs. none obs. none obs. solution obs. none obs. solution obs.	less diff. less diff. less diff. less diff. less diff. less diff. less diff. flood; mrdiff. FW less diff. less diff. mrdiff. less diff. less diff. mrdiff.	no no no no no no no no no no no no no n	no no no no no no no no yes	*brook a low priority trib. in terms of water quality *brook a low priority trib. in terms of water quality End./Rare sp. hab. *Conveyance offset by small size and surroundings
\$ 4 \$ 6 \$ 7 \$ 8 \$ 9 \$ 11 \$ 12 \$ 13 \$ 14 WALPOLE WL 3a WL 3b WL 4 WL 6	high low mod tow mod low high mod high high mod	none obs. none obs. none obs. none obs. none obs. none obs. none obs. none obs. solution obs. none obs. ls. pa	less diff. less diff. less diff. less diff. less diff. less diff. less diff. less diff. rW less diff. less diff. less diff. less diff. less diff. less diff.	no no no no no no yes no yes	no no no no no no no no no no no no no n	*brook a low priority trib. in terms of water quality *brook a low priority trib. in terms of water quality End_/Rare sp. hab. *Conveyance offset by small size and surroundings part of former cedar swamp complex, end spe. hab. & rare part of former cedar swamp complex. End spe. hab.
\$ 4 \$ 6 \$ 7 \$ 8 \$ 9 \$ 11 \$ 12 \$ 13 \$ 14 WALPOLE WL 3a. WL 3b. WL 4 WL 6	high low med low mod low low mod mod low high mod mod high high high	none obs. none obs. none obs. none obs. none obs. none obs. none obs. none obs. none obs. solution obs. none obs. solution obs.	less diff. less diff. less diff. less diff. less diff. less diff. less diff. flood; mrdiff. FW less diff. less diff. mrdiff. less diff. less diff. mrdiff.	no no no no no no no no no no no no no n	no no no no no no no no yes	*brook a low priority trib. in terms of water quality *brook a low priority trib. in terms of water quality End_/Rare sp. hab. *Conveyance offset by small size and surroundings part of former cedar swamp complex, end spe. hab. & rare part of former cedar swamp complex. End spe. hab.

Site#	Exlating	Predicted	Impact Characterizations		Size (ac.)			Restore Flood		Restore	Upgradient	Located In	Constricted	Channel Absent	Flat Site 7	Support
The squared or	Wetland Type	Wetland Type		Type			ı Landscape	Storage ?	Water Quality ?	Fish & Wildlife	of Flood Damage	100-Yr. Floodplain ?		or Modifiable ?		Vegetatio
/ALDOLE									1000000	Habitat ?	Area ?					
VALPOLE																
WL 17	PEM/FO	PFO	mowed & channel	2	~15	LMbt	institutional/wl	yes	no	yes	yes	yes	yes	yes	yes	yes
WL 18	PEM	PFO	mowed at edge of fill	2	~1	LMbt	res	no	no	1100					1	
WL 20	PEM	PFO	farmed wet mead, to stream	2	~15	LHisf	ag/for/res	no	no	yes	yes yes	no	yes	no no	no	yes
WL 21	PEM	PFO	edge	·								110	yes	no .	no	yes
WL 22	PEM	PFO	farmed	2		LMbt	ag/wl/for	yes	110	no	yes	no	yes	yes	yes	yes
WL 23	PEM/OW		farmed	2	-3	LHbo	ag/res	no	110	no	yes	no	yes	yes	no	yes
		PFO/OW	diked	2	-5	LHbt	ag/for/res/wl	no	yes	yes	yes	no	yes	yes	no	. yes
WL 24	PEM/OW	PFO/OW	res. fill, channel, impounded, mowed	2	~5 .	LHbt	res/for	no	no	yes	yes	no	yes	yes	no	yes
WL 27	PEM	PFO	farmed wl, stream w/no buffer	2	~15	LHbt	ag/for/wi	yes	กอ	yes	yes	no	yes	yes	yes	yes
WL 28	PEM/FO	PFO	farmed wl, stream w/no buffer & linear ditching	2	~15	LHbo	for/wl	yes	100	no	yes	no	yes	yes	yes(ditch)	yes
WL 29	PFO/EM	PFO	farmed & cleared & mowed	2	~15	LHbt	ag/for/wi	yes	yes	yes	yes	no	yes	no	yes	yes
WL 35	PFO/EM	PFO/EM	linear ditch & sedimentation	2	~65	LMbt	for/wl	yes	no	yes	yes	no	yes	yes	yes	yes
WL 40	UPL	PFO	undeveloped fill (see F 5)	1	~5	Ts	res/ind/for/dist urbed/rd	yes	no	no	yes	no	yes (none)	yes	yes	yes
WL 42	PSS/EM	PFO	fill & appears disturbed	1	~1	Tbi	res/roads	yes	*no	no	yes	no	yes (none)	yes	yes	ves
WL 44	PFO	PFO	linear ditch	2	~5	LHbo	for	ves	no	no	yes	no	yes	yes	yes	yes
WL 45	PFO	PFO	grid ditched	2	~15	LMbt	ag/for	yes	yes	no	yes	no	yes	yes	yes	yes
WL 46	PEM	PFO	small farmed area	2	~1	LMbt	ag/wl/for	no	110	no	yes	no	yes	no	no	yes
WL 48	POW	PFO	impounded, excavated, and diked	1	-2	LMbt	ag/for	yes	no	no	yes	no	yes	yes	yes	yes
WL 49	PEM/FO	PFO	cleared ag + linear ditch	2	~15	LHbo	ag/for	no	yes	no	yes	no	yes	yes	no	
WL 50	PFO/OW/E	PFO	much fill, concrete, asphalt,	1	~1	LMbo	roads/s&q			no					1	yes
***	M	110	gravel			LINIDO	10aus/sag	yes	yes	110	yes	yes	yes	yes	yes	yes
WL 52	PEM	PFO	mowed area	2	~5	LMbo	aq	no	no	no	yes	no	yes	no	no	
WL 53	PFO4,5/EM	PFO4	sedimentation, junkyard impacts	2	~125	Tfi	s&g/for/res	yes	yes	yes	yes	yes	yes	no	yes	yes yes
WL 54	Upland & POW	PFO4	gravel excavation, poss. creation site or poss, fill	1 or Creation	~125	Tfi	wl/roads/ind/fo	yes	*yes	yes	yes	no	yes	, no	yes	yes
WL 55	PFO4	PFO4	impounded, downstream	2	>250	Tfi	for/res/ind/wl									
***************************************	1104	1104	restricted	2	7230	,,,,	iomesingwi	yes	yes	yes	yes	yes	yes	no	yes	yes
WL 56	PFO1	PFO4	altered drainage, ? railroad impact on forest type	2	-125	LMbt	ind/for/\vi/res	yes	yes	yes	yes	yes	yes	no	yes	yes
WL 57	POW/EM	PSS/EM	impounded	2	~5	LMbt	roads/ind	no(little value)	110	yes ·	yes	yes	yes	yes	yes	yes(part)
WL 58	PFO	PFO	linear ditch	2	~15	LMbo ·	res/for	yes	yes	no	yes	yes	yes	yes	yes	yes.
WL 60	PEM	PFO	poss, phragmites, depression wl	2	-5	Tbi	res/for	*no	no	110	yes	no	yes(none)	yes	yes	yes
WL 61	PSS	PFO	walls & dirt roads that are berms	2	~5	LMbt	ag/wl/for	*no	no	no	yes	no	yes ·	yes	yes	yes
WL62	PFO/PSS	PFO/PSS	fill, vegetation alterations (See SH16)	1,2	-1		comm for	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes
WL63	PFO	PFO	fill, vegetation alterations	1,2	~1	·	comm.for	Yes	No	No	Yes	Yes	No	No	Yes	Yes

Site #	in Position to improve Water Quality?	Surface Water	Solls Sultable for Phosphate Removal ?	Soils Sultable for Nitrate Removal 7	Permanently Saturated?	Permanent Flooding ?	Low Gradient Site 7	Channel Flow	Support Dense Emergent Vegetation ?	Quality?	Habitat Diversity?	Connectivity to Other Habitats ?	Ownership		ı	Difficulty in Restoration of Wetland
WALPOLE																
WL 17	no									yes	no	yes	non-prof.	low	mgt, hyd	mrdiff.
WL 18	no													le		
WL 20	cnd	yes	no	no	no	no	yes	no	yes	yes	no	yes no	private town	low .	mgt mgt	mrdiff. mrdiff
WL 21	cnd	yes	no	no	no	no	yes	no	yes	yes	no	no	private	low	mgt	mrdiff.
WL 22	cnd	yes	no	no	no	no	no	no	yes	yes	no	no	private	low	mgt	mrdiff.
WL 23	cnd	yes	yes(Sb)	no	yes	no	no	no	yes	yes	no	yes	private	low	sub	mrdiff.
WL 24	cnd	yes	no	no	no	no	no	no	yes	yes	no	yes	private	· low	mgt, hyd	mrdiff.
WL 27	yes	yes	no .	no	no	no	yes	no	yes	yes	no	yes	private	low	mgt	mrdiff.
WL 28	no			1				 		yes	no	no	private	low	hyd, mgt	mrdiff.
WL 29	yes	yes	no	yes(Sw portion)	yes(portion)	no	no	no	yes	yes	no	yes	priv. & town	low	mgt	mrdiff
WL 35	no									yes	yes	no	priv & deed	low	hyd	mrdiff
WL 40	no									yes	ло	no	private	mod	subs	mrdiff
WL 42	yes	yes	no	yes(Sw)	yes	yes	yes	yes	yes	yes	no	no	private	low	subs	mrdiff,
WL 44	no									yes	no	no	priv. & town	low	hyd	mrdiff.
WL 45	cnd	yes	no	yes(Sw)	yes	no	yes	yes	yes	yes	no	no	private	low	hyd	mrdiff.
WL 46	cnd	yes	no	no	no	no	no	110	yes	yes	no	no	town	low	mgt	mrdiff.
WL 48	*no							İ		no	no	no	private	low	subs	mrdiff
WL 49	yes	yes	no	yes(Sw)	yes	no	no	yes	yes	yes	no	no	private	low	hyd, mgt	mrdiff.
WL 50	yes	yes	yes(Sb)	yes(Sw)	yes	yes	yes	yes	yes	yes	по	no	private	mod	subs	mrdiff.
WL 52	yes	yes	no	no	no	no	yes	yes	yes	yes	no	no	private	low	mgt	mrdiff.
WL 53	yes	yes	no	yes(Fm)	yes	yes	yes	, no	yes	yes	yes	yes(ws)	town & priv.	high	sbs,hyd,chm.bi o	
WL 54	yes	yes	no	no	no	no	yes	no	yes	yes	yes	yes(ws)	private	high	sbs.hyd.chm.bi	modiff
WL 55	yes	yes	no	yes(Fm)	yes	yes(part)	yes	no	yes	yes	yes	yes(ws)	town & priv.	high	sbs,hyd,chm,bi o	modiff
WL 56	yes	yes	no	yes(Fm)	yes	yes	yes	yes	yes	yes	yes	yes(ws)	town & priv.	high	hyd	modiff
																·
, WL 57	no					ļ		ļ	 	yes	*yes	yes(ws)	town	mod	hyd	mrdiff.
WL 58	yes	yes	no	yes(Sw)	yes .	yes	yes	no	yes	yes	no	no	town & priv.	low	hyd	mrdiff
WL 60	no									yes	no	no	private	low	mgt	. mrdiff.
WL 61	cnd	yes	no	no	no	no	yes	no	yes	yes	no ·	no	private	low	hyd	mrdiff
WL62	Yes	No	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Town	Low	subs., mgmt	less diff
WL63	No	No	Yes	No	Yes	Yes	Yes	No	No	Yes	Yes	No	Town	Low	subs	less diff.

Site #	Surrounding Level of Disturbance	Invasive Plant Species ?	Difficulty in Restoration of Functions	Habitats	Proximity to Landfill ?	Comments
WALPOLE						
WL 17	mod	none obs.	less diff flood; mrdiff FW	no	no	
WL 18	high	none obs.	mrdiff.	no	no	
WL 20	low	none obs.		no	no	
WL 21	low	none obs.	less diff.	no	no	
WL 22	mod	none obs.		no	no	
WL 23	mod	none obs.	mrdiff.	no	no	* wetland has its highest value as it is
WL 24	mod	none obs.	mrdiff.	no	no	
WL 27	low	none obs.	less diff flood; mrdiff FW	no	no	
WL 28	low	none obs.	less diff.	no	no	
WL 29	low	none obs.	less diff flood; mrdiff FW	no	no	
WL 35	low	pa	less diff, - flood, mrdiff,- FW	no	. no	PFO4 adjacent to site
WL 40	high	none obs.	less diff.	no	no	
WL 42	high	pa, Is	less diff.	no	no	*site appears to be an isolated depression
WL 44	low	none obs.	less diff.	no	no	
WL 45	low	none obs.	less diff.	no	no	good example of ditched wetland
WL 46	low	none obs.		no	no	
WL 48	low	none obs.	less diff.	no	no	* very little development above site
WL 49	low	none obs.		no	yes	
WL 50	mod	pa, Is	less diff flood; mrdiff - WQ	no	no	
WL 52	low	none obs.		no	no	
WL 53	high	ls, pa	less diff flood; mrdiff WQ,FW	yes	yes	part of former cedar swamp complex, end spe, hab / Original direction f flow may have been reversed
WL 54	high	ls, pa	less diff - flood; mrdiff WQ,FW	yes	no	part of former cedar swamp complex, End. sp. hab./ *WQ improved only if proper soils restored
WL 55	high	ls, pa	less diff flood, mrdiff WQ,FW	yes	no	part of former cedar swamp complex. End. sp. hab./ Rare Wetland Wildlife
WL 56	low	pa	less diff flood; mrdiff WQ,FW	yes	no	possibly part of former cedar swamp complex, End sp. hab. & Rare Wetlands wildlife
WL 57	low	none obs.	mrdiff.	yes	no	*deep water marsh, rare wetland widl
WL 58	mod	none obs.	less diff flood; mrdiff WQ	no	no	
WL 60	mod	none obs.		no	no	*nothing to improve to this function
WL 61	low	none obs.		no	no	*wetland has its highest value as it is
WL62	mod	none obs	modiff.	No	No	Recent fill (violation) during Rte. 1 reconstruction.
WL63	mod	none obs	less diff	No .	No	Recent filling during on-going construction (violation)

List of Potential Wetland Restoration Sites

Table 1 Sheet Vla

Site #	Existing Wetland Type	Predicted Wetland Type	Impact Characterizations	Restoration Type	Size (ac.)		Surrounding Landscape	Restore Flood Storage ?	Restore Water Quality 7	Restore Fish & Wildlife Habitat ?	Upgradient of Flood Damage Area ?	Located in 100-Yr. Floodplain 7	Constricted Outlet?	Channel Absent or Modifiable ?		Support Vegetation Type
WALPOLE					· · · · · · · · · · · · · · · · · · ·								······································			2
WL64	PFO4	PF04	fill, veg. alteration	1,2	~5		for comm	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes
WL65	PSS/POW	PSS/POW	drained	2	~5*		res for	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
WESTWOOD														<u> </u>		
W 1	PEM/SS/PF O	PFO	exvtd. & cleared POW + linear ditch	2	~65	LMbt	ind/hgwy/res	yes .	no	no	yes	yes	yes	yes	yes	yes
W 2	PSS/EM	PFO	impounded, part cleared mowed ag	2	~1	Tbi	ag/wl/réc	no (little value)	no	no	yes	no	yes	yes	yes	yes
W 3	PEM	PFO	mowed	2 .	~1	LMbt	ag/wl	no	no	no	no			 	1	
W 4	PEM	PFO	mowed, some res. fill	2 .	~5	LMbt	ag/wl	yes	no	no	yes	ves	no	yes	ves	yes
W 6	PFO	PFO	fill, ditching	1,2	~15, ~125	LMbt	for/res/road/w aste dis.	yes, no	no	no	yes	yes	yes	no	yes	yes
W 8	PEM	PFO	mowed	2	~1	LMbt	res/wi	no	no	no	ves	no	yes	ves	no	yes
W 12	PFO/SS	PFO/SS	fill, diked, ditched (see N 5)	1,2	~5, ~125, ~65	LMbo	res/rec	yes, no, yes	yes	no	yes	no	yes	no	yes	yes
W 13	PEM	DEO														
W 13 W 14	PEM	PFO PFO	mowed	2	~1	Tbi	ag	no	no	no	no	ļ			1	
W 15	PFO/EM	PFO	mowed	2	~1	LMbt	res/wl	no	no	yes	yes	no	no	yes	yes	yes
W 16	PEM/SS	PEM/SS	depression, expand into fill area	creation	~1 ~5	LMbt Tbi	hghwy/res com/ind	yes NO	no no	no no	yes no	yes	yes	no	yes	по
W 18	PEM/SS	PFO	clrd wtld, perp. linear	2	~1	LMbt	res	no (little value)	ves	no	ves	ves	yes	no .	ves	yes
W20	PFO	PFO	cleared understory	2	-1	LMbt	ag/res	ves	ves	yes	ves	no	ves	ves	yes	yes

List of Potential Wetland Restoration Sites

Table 1 Sheet VIb

Site #	In Position to Improve Water Quality?	Will There be Surface Water Impacts ?		Soils Suitable for Nitrate Removal 7		y Seasonal or Permanent Flooding ?	Low Gradient Site ?	Channel Flow	Support Dense : Emergent Vegetation ?	Habitat Quality ?	Habitat Diversity ?	Connectivity to Other Habitats ?		Cost of Restoration	Fix Туре	Difficulty in Restoration o Wetland
WALPOLE					. :											
WL64	Yes	No	Yes	Yes	Yes	Yes	Yes	. No	No	Yes	Yes	Yes	Priv	High	subs, mgmt.	modiff
WL65	Yes	Yes*	Yes	Yes	Yes*	Yes*	Yes:	Yes	Yes	Yes	Yes .	Yes	Priv.	27	hyd , mgmt	less diff*
WESTWOOD					<u> </u>				1							
W 1	no							Ţ		yes	no	no	town & priv	low	hyd, subs, mg	mrdiff.
W 2	yes	yes	nó	no	no	no	yes	1 00	yes	yes	no	no	private	low	mgt	mrdiff
W 3	no			ļ 	 					yes	no	no ,	private	low	mgt	mrdiff.
W 4	yes	ves	по	no	no	no	yes	no	1000	ves	no	no	private	low	mgt	mrdiff
W6	yes	yes	no	no	110	no	yes	no	yes yes	yes	no	no	private	mod, low	subs, hyd	mrdiff.
W 8	yes	yes	no	no	no	no	no	no	yes	ves	no	no	priv & town	low	mat	mrdiff
W 12	yes	yes	no	yes(Fm, Sw)	yes	no	yes	yes	ves	yes	no	no	private	mod, mod, low	subs, subs, hyd	mrdiff.
W 13	no								·	ves	no	no	private	low	mgt	mrdiff.
W 14	no		Ny office and the second			1	 			ves	no	yes	private	low	mgt	mrdiff
W 15	no							1		ves	no	no	private	iow	subs	less diff.
W 16	no						1	1		yes	no	no	private	mod	subs	mrdiff
W 18	yes	yes	yes(Sb)	no	yes	no	yes	no	yes	yes	no	no	town & priv.	low	mat, hyd	mrdiff.
W20	yes	yes	yes(Sb)	no	yes	no	ves	no	ves	yes	no	yes	private	low	mat	mrdiff.

Neponset River Watershed Wetland Restoration Plan List of Potential Wetland Restoration Sites


Site * " The second sec	Surrounding Level of Disturbance	Invesive Plant Species 7	Difficulty in Restoration of Functions	Habitats	Proximity to Landfill ?	Comments
WALPOLE						
WL64	high	pa,ls	modiff.	Yes	No	Auto salvage operation - existing enforcement action. A portion of WL54.
WL65	. mod	none obs.	less diff*	No	No	Turners Pond experienced complete drawdown during summer 1997. Upgradient municipal water supply withdrawls may be contributing factor. Assess annual water budget to determine restoration potential.
WESTWOOD						
W 1	mod	none obs.	less diff.	yes	no	end, spe. hab.
W 2	low	none obs.		yes	no	end. spe. hab., check for possible upland
W 3	low	none obs.	T	no	no	
W 4	low	none obs.	less diff.	no	no	
W 6	mod	none obs.	less diff.	no	yes	
W 8	mod	none obs.		no	no	
W 12	mod	Is	lessdiff flood; mrdiff WQ	no	yes	
W 13	low	none obs.		· no	no	
W 14 •	mod	none obs.	mrdiff.	no	no	
W 15	high	ls	less diff.	no	no	
W 16	high	pa, Is		no	no	
W 18	high	none obs.		по	no	
W20	low	none obs.	mrdiff.	no	no	

Appendix C

Priority Wetland Restoration Sites

- ♦ Map 2 following page 48
- ♦ Template for Table 2 page 49
- ◆ Table 2 following page 50

Priority Wetland Restoration Sites



November, 1999



Priority Potential Wetland Restoration Sites Potential Wetland Restoration Sites Watershed Boundary



NOTE: For site identification numbers, see individual Town maps. (Maps 3-15)

Template For Table 1: Priority Wetland Restoration Sites




Table 1 is comprised of two separate sheets which should be read in the configuration shown above.

Priority Wetland Restoration Sites

Site#	Existing		Impact Characterizations	Size (ac.)	Restore	Restore	Restore	Hydrologic	Community	Owned by	ACEC Site
	Wetland Type	Wetland Type			Flood	Water	Fish &	Support	No. of the Contract of the Con	MDC ?	
7	уурс	type	Billion De la Company		Storage 7	Quality ?	Wildlife Habitat ?	Site ?	Site ?	į.	
High Fur	nctional Va	alue Sites	3								
N 1	PEM/SS/FO			>250	yes	yes	yes	yes	no	no	
		o	sediments		,,,,	700	,,,,	yes	110	110	yes
WL 55	PFO4	PFO4	impounded, downstream	>250	yes	yes	yes	no	no	no	no
DD 3	PFO/EM	PFO/EM	restricted ditched	~250	yes	yes	yes	yes	no		
ML 12	PEM/SS/FO		sewer	~250	yes	yes	yes	yes	no	yes yes	yes yes
		0	eas ditched mowed(see C				'				,
C 1	PEM/SS/FO	PEM/SS/F	1) sewer easditch,mowed	~250	yes	Vec	Voc	V05			
		0	(see ML 12)	200	yes	yes	yes	yes	no	yes	yes
C 18	PFO/SS/EM	PFO/SS/E	grid ditching, fill/old airpt.	~250	yes	yes	yes	yes	yes	yes	yes
SH 1	PFO/SS	PSS/EM	sewer eas. ditched	~250	yes	yes	Noc			,	
WL 53	PFO4,5/EM	PFO4	sedimentation, junkyard	~125	yes	yes	yes yes	yes no	no no	no no	no
150 54			impacts								
WL 54	Upland & POW	PFO4	gravel excavation, poss creation site or poss, fill	~125	yes	*yes	yes	yes	no .	no	no
WL 56	PFO1	PFO4	altered drainage, ? railroad	~125	yes	yes	yes	no	no	no	no
			impact on forest type		,		, , , ,				110
C 6 F 11	PSS/EM PEM/SS	PSS/EM PFO	diked & channeled portions	~65	yes	yes	yes	no	no	no	no
1.11	FEIVI/SS	FF0	grid ditchced, cleared, excavated, and mowed	~65	yes	yes	yes	yes	no	no	no
C25	UPL	PEM/PFO	filled for roadway	~15	Yes	Yes	Yes	yes	yes	no	yes
WL 29	PFO/EM	PFO	farmed & cleared & mowed	~15	yes	yes	yes	no	no	no	no
N12 WL65	Upland/PFO PSS/POW	PFO	filled for parking . drained	~5 ~5*	Yes	Yes	Yes	Yes	yes	no	no
W20	PFO	PFO	cleared understory	~1	Yes yes	Yes yes	Yes yes	yes no	yes no	no no	no no
Addition	al Significa	ant Sites	to Improve Groundw					110	1 110	1 .10	110
W 12	PFO/SS	PFO/SS	fill, diked, ditched (see N 5)	~5, ~125,	yes, no.	yes	no	yes	no	no	no
				~65	yes	, 00		,03	,,,,	1.0	110
N 5	PFO/SS	PFO/SS	fill, ditched. & diked (see W12)	~5. ~125.	yes, no,	yes	no	yes	no	no	no
W 6	PFO	PFO	fill, ditching	~65 ~15, ~125	yes yes, no	no	no	yes	no	no	no
ML 9	PFO/EM	PFO/EM	grid ditching	~125	no	no	yes	yes	no	no	no
C 3	PFO	PFO	golf fairways bisect wetland	~65	no	yes	yes .	yes	no	partially	yes
C 20 WL 35	PEM PFO/EM	PEM PFO/EM	grid ditched linear ditch & sedimentation	~65 ~65	no	yes	yes	yes	no	no	yes
SH 4	PFO	PFO	linear ditch, small mowed	~65	yes	no yes	yes	yes yes	no	no no	no no
			portion			,	.,,	,,,,		,,,,	110
S 12 W 1	PSS/EM EM/SS/PF	PSS/EM PFO	linear ditching exvtd. & cleared POW +	~65	yes	*no	yes	yes	no	no	no
** 1	LIWISSIFI	F110	linear ditch	~65	yes	no	no	yes	no	no	no
SH 14	PFO/SS	PFO	fill	~65	yes	*no	no	yes	no	no	no
ML 10	POW/UPL	PFO	golf course ponds beside	~65	no	no	yes	yes	no	no	no
ML 11	PEM/SS	PFO	PFO old road bed, small fill	~65	no	no	yes	yes	no	vec	
C 9	PEM	PEM	ditching & tiny mowed area	~65	no	no	yes	yes	no	yes no	no no
C 17	PFO/SS	PFO/SS	linear ditching, mowed area.	~65	yes	*no	no	yes	no	no	no
C 5	PEM/SS	PSS/EM	sed? filled (violation)	~15	1/00		Von				
WL 58	PFO	PFO	linear ditch	~15	yes yes	no no	yes yes	yes yes	no no	no no	no no
SH 13	PEM/SS	PEM/SS	grid ditched area,not in	~15	*no	yes	yes	yes	no	no	no
C 19	PEM/SS	PFO	crnbrry bog grid ditched	~15							
WL 28	PEM/PFO	PFO	farmed wl, stream w/no	~15	yes no	no	yes yes	yes yes	no no	no no	yes no
			buffer & linear ditching				, , , ,	, , , ,	110	110	110
C 7	PEM/SS	PEM	grid ditching	~15	no	yes	no	yes	no	no	no
M 8 F 8	PF04/SS PFO/SS	PFO4 PFO	linear ditch	~5	yes	no NOS	yes	yes	no	no	no
SH 15	PEM/OW	PFO	excavated, poss, fill or	~5 ~5	yes yes (fill)	yes *no	no yes	yes yes	no no	no no	no
			cleared		, ()		, 00	,		110	110
SH 12	PFO/OW	PFO	excavated, some fill?	~3	yes	no	yes	yes	no	no	no
M 5 WL 50	PEM PFO/OW	PFO PFO	cleared & linear ditch much fill, concrete, asphalt,	~1	yes	no	yes	yes	no	no	no
	/EM	.,,	gravel		yes	yes	no	yes	ήo	no	no
alt Mars	h Restora	tion Sites	·								
ML 4	E2EM	E2EM	diked, phrag areas, mosq.	~250	no	yes	yes	no	no	yes	no
			ditching			,	, os	110	110	yes	110
B 1	E2EM	E2EM	fill - park?	~125	no	*yes	*yes	no	yes	yes	yes
B 3 Q 2	E2EM/PEM E2EM	E2EM E2EM	diked/filled/mosq. ditching fill & mosquito ditching	~125	no	yes	yes	no	yes	yes	yes
Q 4	E2EM	E2EM	mosquito ditching	~65 ~65	no no	yes yes	yes	no	yes	no	yes
Q 6	E2EM	E2EM	mosquito ditching, dike	~65	no	yes	yes yes	no no	no no	no no	yes yes
ML 1	E2EM	E2EM	mosquqito ditching	~65	no	yes	yes	no	no	no	no
ML 2	E2EM	E2EM	dike, phragmites, mosq.	~65	no	yes	yes	no	no	yes	no
Q 1	E2EM	E2EM	ditching fill & mosquito ditching	~15	no	yes	yes	no	no	no	yes
						, ,	, , , , ,	110	, 110	110	YUS

Table 2 Sheet Ila

Priority Wetland Restoration Sites

Site#	Existing Wetland Type	Predicted Wetland Type	Impact Characterizations	Size (ac.)	Restore Flood Storage ?	Restore Water Quality ?	Restore : Fish & Wildlife Habitat ?	Hydrologic Support Site ?	A STATE OF THE PARTY OF THE PAR	Owned by MDC ?	ACEC Site ?
ML 3	E2EM	E2EM	fill & some ditches	~15	no l	yes	yes	no	l no l	no	l no
ML 5	E2EM	E2EM	mosq ditching, tidal restriction, major hwy, some fill	~15	no	yes	yes	no	no	yes	no
ML 6	PEM/OW	E2EM	tidal restriction, wtld. in golf course	~15	no	yes	yes	no	no	nò	no
B 2	PEM	E2EM	tidal restriction	~5	no	*yes	*ves	no	no	ves	no
ML 21	PEM	E2EM	cloverleaf with phragmites	~5	no	no	no	no	no	no	no
Q9	Upland/ E2US	E2US / E2RS	fill, seawall, sheet piling	~3	No	No	Yes	no	yes	yes	
B6	E2EM	E2EM	Phragmites	1	No	No	Yes	No	ves	ves	
Coldwate	er Fisherie	es Sites									
WL 17	PEM/FO	PFO	mowed & channel	~15	yes	no	ves	no	ves	no	i no
WL 16	PEM/PFO	PFO	mowed or cleared easement, ditching	~5	yes	yes	no	yes	yes	no	no
N 10	PEM	PEM	phragmites	~5	*no	*no	no	no	ves	no	no
N13	PEM/POW	PEM/POW	channelized, impounded	~3	no	no	yes	ves	yes	no	no
WL 18	PEM	PFO	mowed at edge of fill	~1	no	no	ves	no	no	no	no

Appendix D


Potential Wetland Restoration Sites in Neponset River Watershed Cities and Towns

Town-by-town maps are presented following page 52:

- ♦ Map 3: Boston
- ♦ Map 4: Canton
- ♦ Map 5: Dedham
- ♦ Map 6: Dover
- ♦ Map 7: Foxborough
- ♦ Map 8: Medfield
- ♦ Map 9: Milton
- ♦ Map 10: Norwood
- ♦ Map 11: Quincy
- ♦ Map 12: Sharon
- ♦ Map 13: Stoughton
- ♦ Map 14: Walpole
- ♦ Map 15: Westwood

Map 3

Potential Wetland Restoration Sites - Boston, MA




Prior




Map 4


Potential Wetland Restoration Sites - Canton, MA



Map 5

Potential Wetland Restoration Sites - Dedham, MA









Map 6

Potential Wetland Restoration Sites - Dover, MA









Map 7

Potential Wetland Restoration Sites - Foxborough, MA




Map 8

Potential Wetland Restoration Sites - Medfield, MA







Potential Wetland Restoration Sites - Milton, MA




Potential Wetland Restoration Sites - Norwood, MA








Potential Wetland Restoration Sites - Quincy, MA









Potential Wetland Restoration Sites - Sharon, MA








Potential Wetland Restoration Sites - Stoughton, MA




×



Potential Wetland Restoration Sites - Walpole, MA








Map 15

Potential Wetland Restoration Sites - Westwood, MA







Appendix E

GROWetlands NOMINATION FORM

GROWetlands Wetlands Restoration Project Nomination Form

Thank you for your interest in restoring Massachusetts wetlands. If you wish to sponsor a wetland restoration project and would like to propose that it be considered part of the statewide wetlands restoration initiative called **GROWetlands** (Groups Restoring Our Wetlands) under the Massachusetts Wetlands Restoration & Banking Program, please fill out this form and return to the address below.

Project Name:			
Project Location: City/To	own	Watershed	
Please attach a USGS qua	ad sheet or other map	on which the site location has b	een marked.
If available, please attach	current and historic p	hotos and aerial photos of the p	roject site.
Project Sponsor:	-		
Designated Representativ	'e:		
Telephone:	FAX	E-mail	
Address:			
Landowner:			
Has landowner expressed Explain:	support for wetland re	estoration at the site? Yes	No
Is all or part of the wetlar	d totally destroyed or	does it exist in a degraded cond	lition? Explain
Briefly describe the curre	nt condition of the we	tland to be restored.	

Is in agricultural use now Was never farmed Was formerly agricultural land. Explain:
What caused the impact to the wetland?
Is the wetland area under an outstanding enforcement order? Yes No If yes, explain:
What is the approximate size of the area proposed to be restored?
What is the approximate size of adjacent wetland areas, if any?
Please attach a sketch of the area showing the wetland to be restored, adjacent wetlands and waterbodies, roads and buildings in the immediate vicinity, and other pertinent information to describe the site. If possible, indicate different wetland types that are present (Phragmites swamp, wet meadow, forested wetland, etc.).
If known, what was the wetland type(s) prior to impact?
If known, what restoration activity would be required to restore the wetland?
If known, what is the approximate cost of the restoration?
Has any funding been identified for this project? Yes No If yes, describe:
Would you like WRBP to arrange a site visit and evaluation by a Wetlands Restoration Assistance Team, a group of volunteer wetland scientists? Yes No
Signed: Date:
Please send this form with attachments to:

GROWetlands

EOEA Wetlands Restoration & Banking Program
One Winter Street - 5th Floor
Boston, MA 02108
(617) 626-1177

A representative of WRBP will contact you as soon as possible. Please call us if you have any questions!